C·I·L
ORION
JUST ONE FLARE COULD SAVE YOUR LIFE
IF YOU KNOW HOW TO USE IT
EITHER ON WATER OR HIGHWAY
CIL/ORION HAS WHAT YOU NEED
HIGHWAY FLARES : 10-15-20-30 MINUTES
MARINE SAFETY PRODUCTS :
KIT BASIC 4
ALERT · LOCATE · 4
www.cilexplosives.com

Anti-Nausea.....847
Bells.....841
Boat Hooks.....843
Bungs.....847
Cockpit Flooring.....843
Dog Vests.....856
EPIRB's..... 834-837
Fire Extinguishers.....847, 848
First Aid Kits.....842
Flares.....828, 829
Harness Tethers.....855
Heaving Lines.....830, 831
Horns..... 838-840
Life Rings & Brackets.....830
Man Over Board Poles.....831
Non-Skid Tape..... 844-846
PFD's..... 849-855
PLB's.....834, 836
Radar Reflectors.....831
Rescue Lights.....832, 833
Safety Requirements.....827
Whistles.....841

SCHMITT™

ongaro

EST. 1958

SCHMITT™

Steering Wheels and Accessories

Minimum Safety Equipment Requirements by Boat Type and Length

Boat Type and Length	Personal Lifesaving Appliances	Vessel Safety Equipment (See Note 1, page 28)	Visual Signals (See Note 2, page 28)	Navigation Equipment	Fire-Fighting Equipment
Paddleboats, Watercycles, Sealed-Hull and Sit-on-top Kayaks *Equipment listed in 2, 3, 4, 5 and 6 is not required if everyone on board is wearing a lifejacket or PFD.*	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3.*One (1) reboarding device	4. One (1) bailer or manual bilge pump OR Bilge-pumping arrangements	***If boat is over 6 m:*** 5. One (1) watertight flashlight 6. Six (6) flares of Type A, B or C	7. One (1) sound-signalling device or appliance 8. **Navigation lights 9. ***One (1) magnetic compass 10. One (1) radar reflector (See Note 3, p. 28)	None
Canoes, Kayaks, Rowboats, Rowing Shells and Other Human-Powered Boats	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3. *One (1) reboarding device	4. One (1) bailer or manual bilge pump OR Bilge-pumping arrangements	***If boat is over 6 m:*** 5. One (1) watertight flashlight 6. Six (6) flares of Type A, B or C	7. One (1) sound-signalling device or appliance 8. **Navigation lights 9. ***One (1) magnetic compass 10. One (1) radar reflector (See Note 3, p. 28)	None
Sailboards and Kiteboards *Equipment listed in 2, 3, 4 and 5 is not required if operator is wearing a lifejacket or PFD.* *Lifejacket or PFD must NOT be fitted with an automatic inflator.*	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3. *One (1) reboarding device	4. One (1) manual propelling device OR One (1) anchor and at least 15 m (49'3") of cable, rope or chain in any combination 5. One (1) bailer or manual bilge pump	None	6. One (1) sound-signalling device or appliance 7. **Navigation lights 8. ***One (1) magnetic compass 9. One (1) radar reflector (See Note 3, p. 28)	None
Personal Watercraft (PWC) *Equipment listed in 2, 3, 4, 5 and 11 is not required if everyone on board is wearing a lifejacket or PFD.* *Lifejacket or PFD must be inherently buoyant.*	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3. *One (1) reboarding device	4. One (1) manual propelling device OR One (1) anchor and at least 15 m (49'3") of cable, rope or chain in any combination 5. One (1) bailer or manual bilge pump	6. One (1) watertight flashlight OR Three (3) flares of Type A, B or C	7. One (1) sound-signalling device or appliance 8. **Navigation lights 9. ***One (1) magnetic compass 10. One (1) radar reflector (See Note 3, p. 28)	11. One (1) 5B: C fire extinguisher
Sail and Power Boats up to 6 m (19'8")	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3. *One (1) reboarding device	4. One (1) manual propelling device OR One (1) anchor and at least 15 m (49'3") of cable, rope or chain in any combination 5. One (1) bailer or manual bilge pump	***If boat is equipped with a motor:*** 6. One (1) watertight flashlight OR Three (3) flares of Type A, B or C	7. One (1) sound-signalling device or appliance 8. **Navigation lights 9. ***One (1) magnetic compass 10. One (1) radar reflector (See Note 3, p. 28)	11. One (1) 5B: C fire extinguisher if equipped with an inboard engine, a fixed fuel tank of any size, or a fuel-burning cooking, heating or refrigerating appliance
Sail and Power Boats over 6 m and up to 9 m (19'8" – 29'6")	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long OR One (1) lifebuoy attached to a buoyant line at least 15 m (49'3") long 3. *One (1) reboarding device	4. One (1) manual propelling device OR One (1) anchor and at least 15 m (49'3") of cable, rope or chain in any combination 5. One (1) bailer or manual bilge pump	6. One (1) watertight flashlight 7. Six (6) flares of Type A, B or C	8. One (1) sound-signalling device or appliance 9. **Navigation lights 10. ***One (1) magnetic compass 11. One (1) radar reflector (See Note 3, p. 28)	12. One (1) 5B: C fire extinguisher if equipped with a motor 13. One (1) 5B: C fire extinguisher if equipped with a fuel-burning cooking, heating or refrigerating appliance
Sail and Power Boats over 9 m and up to 12 m (29'6" – 39'4")	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3. One (1) lifebuoy attached to a buoyant line at least 15 m (49'3") long 4. *One (1) reboarding device	5. One (1) anchor and at least 30 m (98'5") of cable, rope or chain in any combination 6. One (1) manual bilge pump OR Bilge-pumping arrangements	7. One (1) watertight flashlight 8. Twelve (12) flares of Type A, B, C or D, not more than six (6) of which are of Type D	9. One (1) sound-signalling device or appliance 10. Navigation lights 11. One (1) magnetic compass 12. One (1) radar reflector (See Note 3, p. 28)	13. One (1) 10B: C fire extinguisher if equipped with a motor 14. One (1) 10B: C fire extinguisher if equipped with a fuel-burning cooking, heating or refrigerating appliance
Sail and Power Boats over 12 m and up to 24 m (39'4" – 78'9")	1. One (1) lifejacket or PFD for each person on board 2. One (1) buoyant heaving line at least 15 m (49'3") long 3. One (1) lifebuoy equipped with a self-igniting light or attached to a buoyant line at least 15 m (49'3") long 4. *One (1) reboarding device	5. One (1) anchor and at least 50 m (164'1") of cable, rope or chain in any combination 6. Bilge-pumping arrangements	7. One (1) watertight flashlight 8. Twelve (12) flares of Type A, B, C or D, not more than six (6) of which are of Type D	9. One (1) sound-signalling appliance Two (2) required if the boat is 20 m and over that meets the applicable standards set out in the *Collision Regulations* 10. Navigation lights 11. One (1) magnetic compass that meets the requirements set out in the Navigation Safety Regulations 12. One (1) radar reflector (See Note 3, p.28)	13. Review all the fire extinguishers at all of the following locations: – at each access to any space where a fuel-burning cooking, heating or refrigerating appliance is fitted; – at the entrance to any accommodation space; and – at the entrance to the machinery space. 14. One (1) axe 15. Two (2) buckets of at least 10 L each

Please refer to an up to date Safe Boating Guide or visit www.tc.gc.ca for more detailed information

* *Only required if the vertical height that must be climbed to reboard the boat from the water is over 0.5 m (1'8").*
** *Only required if the boat is operated after sunset, before sunrise or in periods of restricted visibility (fog, falling snow, etc.).*
*** *Not required if the boat is 8 m (26'3") or less and operated within sight of navigation marks.*

SOLAS TYPE A PARACHUTE ROCKET

Altitude: 300 m
Candlepower: 30,000
Burn Time: 40 seconds
Pull cord ignition system

ORI52162 Each
ORI52262 Bulk 25-pack

SKYBLAZER XLT TYPE B FLARES

A self contained signal that is compact, waterproof and easy to operate and floats.

Average burn time: 7 seconds
Altitude: 450 feet
Average brightness: 16,000 CP

ORI599 4 Pack - clam pack (old# CIL4)
ORI946 6 Pack - poly bag (old# CIL6)

12 GAUGE TYPE B GEMINI FLARE KIT

TYPE B FLARE
US and Canadian Coast Guard Approved for day and nighttime signalling. The new signal will fit in any 12 gauge launcher manufactured after 1982.

Altitude: up to 500 feet
Average burn time: up to 7 seconds
Average brightness: up to 16,000 candelas

Kits includes: (1) 12 gauge launcher, (1) 12 gauge bandolier & (4 or 6) Gemini twin star red aerial flares

4PK: Meets Transport Canada Req. for pleasure crafts up to 6M
6PK: Meets Transport Canada Req. for pleasure crafts up to 8M

ORI595 Gun kit with 4 Gemini twin star flares (old# C12T-B4)
ORI596 Gun kit with 6 Gemini twin star flares (old# C12T-B6)
ORI592 Replacement flares 4pk (carded) (old# C12T-4PK)
ORI980 Replacement gun (old# 12GUN)

HANDHELD TYPE C RED SIGNAL FLARES

Average candlepower: 700
Average burn time: 3 minutes each
Reusable clamshell package with handle and locking tabs.

ORI867 4 pack (old# HHRFB-4)
ORI594 6 pack (old# HHRFB-6)

SOLAS TYPE C HANDHELD FLARE

Candlepower: 15,000
Burn Time: 60 seconds
Will not produce hot residue harmful to inflatable life rafts.

ORI52186 Each
ORI52286 Bulk 50-pack

WATERPROOF FLOATABLE ORANGE FLAT CASE

CASEFLAT

HAND HELD TYPE D ORANGE SMOKE SIGNALS

Average burn time: 1 minute

ORI959 3 pack (old# CHHSOB)
ORI556 Individual (old# CHHSO)

WATERPROOF, FLOATING ORANGE CANISTER

ORI957

SOLAS TYPE D FLOATING SMOKE SIGNAL

A daytime approved signal to help rescuers pinpoint your position. Each floating canister delivers 3 minutes of a dense orange cloud. Will not harm the environment

ORI52151 Each
ORI52251 Bulk 20-pack

12-GAUGE CONVERTER

Allows 25mm launcher to fire 12-gauge red and white meteors.

ORI3631 (old# 12-25ADP)

ORION ALERT/LOCATE - 4 KIT

Contains: 2 Hand Held Red Signal Flares
2 XLT TWIN Aerial Flares
2 Dye Markers
1 Mesh Bag

ORIA/L-4

ORION 12 GAUGE TWIN ALERT PLUS KIT

For boats up to 8 meters.
Kit includes:

- 1-12 gauge launcher
- 1-12 gauge bandoiler
- 6 Gemini twin star red aerial flares
- 2 Safety whistles
- 1 Signal mirror
- 1 oz. Fluorescent dye marker
- Orange waterproof flat storage case

ORI597 (old# C12T-A/P)

ORION 12 GAUGE TWIN ALERT / LOCATOR KIT

For boats up to 8 meters. Complete for day and night.
Kit includes:

- 1-12 gauge launcher
- 1-12 gauge bandoiler
- 3 Gemini twin star red aerial flares
- 3 Red handheld signals
- 1 Handheld orange smoke flare
- 1 Safety whistle
- 1 Signal mirror
- 1 Floating orange storage canister
- 1 Orange distress flag
- 1 6" green, 12 hour lightstick

ORI598 (old# C12T-A/L)

ORION ULTIMATE ALERT LOCATOR KIT

TYPE B FLARE
For boats over 8m

- 12-Gauge Launcher
- 6 12-Gauge twin red aerial signals
- 6 Handheld red flares
- 1 Orange smoke signal
- 1 Fluorescent Dye Marker
- 2 Whistles
- 1 Lightstick
- Storage Case

ORICULTI-A/L

ORION KAYAK SAFETY KIT

Kit contains:

- 2 Red aerial flares
- 1 Orange smoke flare
- 1 Signal mirror
- 1 Whistle
- 1 Light stick

ORI759

ORION WHITE ILLUMINATING ROCKET

This powered rocket has been developed for night use in search and rescue operations and fires a high intensity, white parachute suspended flare a distance over 300 meters to provide bright illumination of 200,000 candlepower over a wide area for over 25 seconds.

ORI52562

ORION WHITE 12GA PRACTICE FLARES

ORI907 3 pack (old# 12GWB)

ORION WHITE HANDHELD FLARE

These signals are intended to caution approaching vessels of your position, or to illuminate an area at night. They meet the same construction standards as the red flares, but are neither USCG nor SOLAS approved since there is no standard for white flares.

ORI52156

ORION FLUORESCENT DYE MARKER

Perfect addition to your signal kit and also as an individual signal that can be affixed to PFD's and used on PWC's. Environmentally safe, covers up to 50 square feet.

ORI984 2 Pack

ACR COBHAM HOT SHOT™ SIGNAL MIRROR

Sighted signaling mirror with float and whistle.

ACR1700

ORION MARINE SIGNAL MIRROR

High quality durable construction will not corrode due to the effects of salt water. Includes view finder and lanyard. Visibility is 10 miles.

ORI916

ORION ORANGE DISTRESS FLAG

- Specially marked vinyl coated nylon flag
- Grommets and four 6" nylon cords for display
- U.S. Coast Guard approved for daytime use only
- New reusable clamshell package with handle and locking tabs
- Instructions printed on back of package

ORI925 3' square flag (old# OFLAG)

SURVIVAL RESCUE STICK™

THROWABLE EMERGENCY RESCUE INFLATABLE

Incredibly easy to use, the Rescue Stick™ provides rapid flotation assistance to a person at risk of drowning. Simply remove the baton shaped Rescue Stick™ from its waterproof bag and throw near the person. Once contact is made with the water it inflates in seconds to a large horseshoe shape keeping them afloat and their head above water until help arrives.

MRD101
MRD050 Practice stick
MA7206 Re-arm kit

DOCK EDGE

LIFE RINGS

D.O.T. approved.
Polyethylene outer shell.
Nylon grab lines.
Resistant to gasoline, oil and chemicals.

	Dia.	Colour
LR20	20"	Orange
LR20W	20"	White
LR24	24"	Orange
LR24W	24"	White
LR30	30"	Orange



SEADOGLINE

RING BUOY HOLDER

Can be used on 7/8" or 1" tubing or mounted directly to a flat surface. Each Ring Buoy Bracket comes complete with all necessary hardware to mount on tubing. Made from marine grade aluminum and powder coated for a long lasting finish.

327130

Seachoice

THROW BAG

Braided MFP polypropylene float rope in a bright orange nylon and polyester self-draining bag with adjustable strap & 3M reflective safety band.

793S

Kwik Tek

LIFE LINE™ RESCUE THROW BAG

Throw this 50' rescue line with incredible accuracy to a swimmer in trouble. Hang it from a boat rail or other convenient spot with the integrated strap with side release buckle. Constructed of rugged bright orange, UV-resistant 600-denier polyester.

KWILL-1

BARELICK

RING BUOY HOLDER

Universal size - fits all rings up to 30" diameter. Hardware fits vertical or horizontal stanchions or screws to bulkhead. For 7/8" or 1" tubing.

GAR71066

Seachoice

SMALL VESSEL SAFETY EQUIPMENT KIT

Contains four of the items required by the Canadian Coast Guard for vessels up to 8 metres:

- 15 metre buoyant heaving line
- Bailer (watertight container)
- Sound signalling device (pealess whistle)
- Watertight flashlight

779S

Seachoice

PLEASURE CRAFT SAFETY EQUIPMENT KIT

Contains four of the items required by the Canadian Coast Guard for vessels up to 12 metres requiring a manual bilge pump:

- 15m buoyant heaving line with float
- Sound signalling device (pealess whistle)
- Watertight flashlight
- Bilge pump

790S



SEADOGLINE

RING BUOY BRACKET

Stamped 304 stainless. 4" inside diameter. Also great for hanging lines.

491240

SEADOGLINE

HORSESHOE BUOY HOLDER

Extra width with double clamp attachment to 7/8" or 1" stanchions or horizontal rails. Coated white on aluminum with polypropylene safety strap secures buoy.

327135 Fits 7/8" – 1" tubing

Seachoice

WATERTIGHT EMERGENCY EQUIPMENT CONTAINER

For dry storage of flares, emergency rations, matches, etc. Net buoyancy 1 kg (2.2 lbs).

774S Container only

attwood

BOATER'S DRY BOX

Keep your maps, flares, electronics and other equipment safe & dry while on the water. Lift out tray for organizing.

11834-1

Davis

ECHOMASTER RADAR REFLECTOR

Made of stamped aluminum sheets with locking corner rivets. Echomaster radar reflectors return the same signal as reflectors costing hundreds of dollars more. Can be assembled around a backstay or wire rigging. Mounting holes in corner latches make sturdy attachment points for suspending from a bridle.

DAV0152 Standard

DAV0153 Deluxe



Sea-Dog

PADDLE SPORTS ACCESSORY KIT

Comes with a kayak pump, a throw bag, lifesaver whistle and reusable mesh bag.

794S Kit with 544K 13.5" hand pump

796S Kit with 545K 21.5" hand pump

ECHOMAX

EM 180 RADAR REFLECTOR

An Echomax for smaller boats. The EM 180 radar reflector is based on the proven John Firth patented stacked symmetrical array with peak responses of 8m^2. Utilizes the largest possible array with the smallest possible robust polyethylene case with minimum windage and weight. The EM 180 is suitable for deck, mast mount fixing or halyard suspension.
Height: 478mm Width: 197mm (overall)
Weight - 1.4kg (3 lb)

EM180W

Sea-Dog

MAN OVER-BOARD POLE

12' floating flag pole. Meets sail racing regulations.

- 15" x 15" nylon letter "O" Man-overboard flag
- Aluminum mast and keel with corrosion resistant finish
- Quick release holster and flag cover
- Fast breakdown for storage
- 3" diameter float aligns closely to back stay and will fit into transom tubes
- Float is completely covered for protection from sun's ultra-violet rays

701S Complete pole

ECHOMAX

230 MIDI BASEMOUNT RADAR REFLECTOR

The smallest of the Polyethylene models for RIBS, powerboats and motor cruisers in a base mount version. Features four integrally moulded fixing points for stability and reliability. Chosen by the RNLI as best reflector for their fleet of 400 RIB's. Dimensions:
Height - 425mm, Width-245mm (17"x9.8")
Weight - 1.9kg (4.2 lb)

EM230MBM

Davis

EMERGENCY RADAR REFLECTOR

Compact, lightweight and economical unit that disassembles and folds flat for storage. When needed, it pops open to 11.5" diameter. Made of special plastic-metal foil laminate.

DAV0151



ECHOMAX

230 MIDI ORIGINAL RADAR REFLECTOR

The smallest of the Polyethylene models for sailing yachts, RIBS and motor cruisers. Fully tested by QinetQ. Exceeds RORC/OEC requirement of 10m2. Dimensions:
Height - 450mm, Width-245mm (18"x9.8")
Weight - 1.9kg (4.2 lb)

EM230MW

Sea-Dog

RADAR REFLECTOR

Stamped aluminium. Improved design has built in quick connect corner brackets.

583422 10-3/4" x 10-3/4"

583426 17-3/4" x 17-3/4"

ECHOMAX

230 RADAR REFLECTOR

Suitable for medium size vessels. Polyethylene case. The EM 230 model has been successfully tested by QinetQto ISO 8729, SHIPS WHEEL MARK, SOLAS, RORC and ORC and meets sections A.1/1.33 and A.1/4.39 of annex A1 of Marine Directive 98/95/EC. Dimensions:
Height - 610mm, Width - 245mm (24.4"x9.8")
Weight - 2.5 kg (5.5 lb)

EM230W

ACR COBHAM

C–LIGHT™ EMERGENCY SIGNALING LIGHT

Equipped with a multi-faceted refracting lens, the C-Light™ creates a twinkling effect perfect for signaling and is visible for up to 2 miles (3.2 km). Comes with a C-Clip adapter for life jackets, as well as steel clip and Velcro® strap for mounting flexibility.

3355

ACR COBHAM

C-STROBE™ EMERGENCY SIGNALING STROBE

A super-bright Xenon strobe flashes 60 times per minute for superior emergency signaling that is visible for up to 2 miles (3.2 km). Operates for more than 8 hours continuous on 2 'AA' batteries. Comes with a C-Clip adapter for life jackets, as well as steel clip and Velcro® strap for mounting flexibility.

3959

ACR COBHAM

FIREFLY PLUS® COMBO STROBE & INCANDESCENT LIGHT

Dual-featured and incredibly compact, this powerful strobe and flashlight combo is the perfect emergency signaling device for recreational boaters. Operating Life: Strobe, 10 hours; Flashlight , 2 hrs continuous on 2 'AA' batteries.

1916

ACR COBHAM

WATER ACTIVATED PERSONAL RESCUE LIGHT

- Operates in fresh or salt water
- Water activated battery has extended useful life with plugs in place
- Operational life exceeds 8 hours
- 5 year storage life

3720-0180

ACR COBHAM

RAPIDFIRE™ STROBE PULL-PIN LIFE JACKET STROBE

Packs inside inflatable life jackets. The pull-pin trigger automatically activates the strobe when the life jacket inflates. Powerful Xenon strobe flashes 60 times per minute & is visible for more than 1 mile. Adjustable flash shield for eye protection. Lithium battery with10 year storage life. Operating life-approximately 8 hours continuous at -20ºC (-4ºF)

3961.1

ACR COBHAM

SOLAS approved

HEMILIGHT™2 AUTOMATIC SURVIVOR LOCATOR LIGHT

SOLAS and USCG approved flashing survivor light that attaches to almost any style life jacket. It is smaller than other approved lights and features rounded edges to maintain inflatable life jackets' integrity. The water sensor activates when in contact with salt or fresh water, producing visibility up to 1.7 nm (3.2 km).

- Bright, flashing survivor light exceeds 0.75 cd intensity minimum; peak intensity in excess of 4 cd
- Attachment clip (included) provides a fast, secure retrofit attachment, accommodating up to 2 in (5 cm) wide webbing

ACR3768.1

ACR COBHAM

SOLAS approved

FIREFLY® 3 RESCUE STROBE LIGHT

Using a high-intensity omni-directional Xenon 360° strobe, it cuts through the foulest conditions with a state-of-the-art lamp/lens combo that creates a super-bright flash visible from beyond 1 nm (1.9 km). The Firefly®3 surpasses SOLAS specifications.

3995.3

ACR COBHAM

SOLAS approved

FIREFLY® 3 WATERBUG WATER ACTIVATED RESCUE STROBE LIGHT

Same as 3995.3 with water activated rescue Strobe Light. Special water activation feature: unit will turn on when armed and in contact with water.

3996.3

ACR COBHAM

FIREFLY® 2 DOUBLEFLY™ STROBE/INCANDESCENT RESCUE LIGHT

The Doublefly's multi-function switch allows you to select between a high-intensity strobe visible from beyond 1 nm (1.9 km), or steady, Incandescent light for close-up recovery work. The Xenon 360° beam flashes at one second intervals for at least 8 hours (2 hours continuous operation in incandescent mode).

3999.1

Forespar

RL-2 PERSONAL RESCUE STROBE LIGHT

An essential part of every yachtsman's safety gear. Meets U.S.C.G. 161.012 when powered by an alkaline "C" battery, replaced annually. Batteries are not included. Waterproof to 120 feet, has a Velcro strap for attachment to upper arm or safety harness. Measure approx. 5" high, weighs only 5 oz. & flashes for over 24 hours.

FSP202102

Forespar

RL-SOLAS PERSONAL RESCUE STROBE LIGHT

The RL-SOLAS meets both U.S.C.G. and S.O.L.A.S. requirements only when powered by a 3V lithium battery (included). The 3V lithium battery has a 10 year shelf life and is also available from Forespar®. Similar in performance to the RL-2.

SOLAS approved

FSP202150

ACR COBHAM

SM-2 AUTOMATIC CREW OVERBOARD MARKER LIGHT

Includes bulkhead bracket.
Automatically rights itself and activates when in water

- SOLAS approved
- Bright light in all directions
- Polycarbonate blend case
- Improved impact rating; UV, temperature and chemical resistant
- Perfect for work boats and pleasurecraft alike
- High intensity Xenon strobe
- Uses EVE501S battery

3940.1

ECHOMAX

ACTIVE-X RADAR ENHANCER

Echomax Active-X-Band Radar Target Enhancer receives a signal from transmitting radar, amplifies and returns a stronger signal. This increases the likelihood of detection reducing the risk of collision and helps to alert oncoming vessels of your position.

EMACTIVE-X

ECHOMAX

ACTIVE-XS DUAL BAND RADAR ENHANCER

The Active-XS amplifies and returns a stronger signal and these high responses to both X or S Band Radar increases the likelihood of improving your vessels radar cross section and helps to alert oncoming vessels of your position and detection especially in poor conditions and thereby reduces the risk of collision. Visual indicators to identify S or X Band Radar paints & Quadruple alarm.

EMACTIVE-XS

ECHOMAX

MOUNTS FOR ACTIVE-X RADAR ENHANCERS

EMACTIVE-FMK Flush Mount Bracket
EMACTIVE-MB Mast Mount Bracket

ACR COBHAM

PATHFINDER™3 SART SURVIVAL CRAFT RADAR TRANSPONDER

Survival Craft Radar Transponder for Search and Rescue Operations

- Enhances radar returns with 12 intense blips, whereby the first blip represents the SART
- Unit transmits through the 9.2-9.5 GHz band when interrogated by radar
- Vessel mounting bracket and collapsible pole
- Waterproof to 10 meters
- Operational life: 96 hours in stand-by mode; in excess of 8 hours in operational mode
- Includes 5 year Lithium battery

ACR2714

ACR COBHAM

RESQLINK™ 406 MHz GPS-INTEGRATED PLB WITH STROBE

At 4.6 oz, the ResQLink™ weighs less than a couple of PowerBars®. And topping at just 3.9 inches, it's smaller than the cell phone in your pocket. Small and mighty, the ResQLink™ is a full-powered, GPS enabled rescue beacon designed for anglers, pilots and back country sportsmen. With three levels of integrated signal technology —GPS positioning, a powerful 406MHz signal, and 121.5 MHz homing capability the ResQLink™ quickly and accurately relays your position to a worldwide network of search and rescue satellites. A built-in strobe light provides visibility during night rescues.

2880 ResQLink™ PLB

9521 Flotation Pouch

ACR COBHAM

Beacon Name	AquaLink™	AquaLink™ View	ResQLink™
Model #	PLB 350B	PLB 350C	PLB-375
ACR Product #	2882	2884	2880
Frequency	406.037 MHz 121.5 MHz Homing	406.037 MHz 121.5 MHz Homing	406.037 MHz 121.5 MHz Homing
GPS	Internal 66 Channel Receiver	Internal 66 Channel Receiver	Internal 66 Channel Receiver
Location Accuracy	.05 nm (110 yards)	.05 nm (110 yards)	.05 nm (110 yards)
Size: in (cm) Weight: lbs (g)	2.25 X 5.88 X 1.49 in (5.72 X 14.9 X 3.78 cm) 9.2 oz. (260 g)	2.25 X 5.88 X 1.49 in (5.72 X 14.9 X 3.78 cm) 9.2 oz. (260 g)	1.3 x 1.9 x 3.9″ (3.3 x 4.8 x 9.9 cm) 4.6 oz (130 g)
Notification Time	2-15 min.	2-15 min.	2-15 min.
Deployment	Manual Only	Manual Only	Manual Only
Activation	Manual	Manual	Manual
Bracket, Cat II	-	-	-
Minimum Required Battery Life	24 hours @ -4°F (-20°C)	24 hours @ -4°F (-20°C)	24 hours @ -4°F (-20°C)
Typical Battery Life	35 hours @ -4°F (-20°C)	30 hours @ -4°F (-20°C)	30 hours @ -4°F (-20°C)
Digital Display	No	Yes	No
Waterproof	To 16.5 ft. (5 m)	To 16.5 ft. (5 m)	To 16.5 ft. (5 m)
Buoyant	Yes	Yes	No. Needs pouch to float
Batteries/ shipping	Lithium non-Hazmat	Lithium non-Hazmat	Lithium non-Hazmat
Strobe Light	Yes	Yes	Yes
GPS Location Tests	Yes, Satellite Detectable	Yes, Satellite Detectable	Yes, Satellite Detectable
406Link.com	I'm OK with GPS	I'm OK with GPS	I'm OK with GPS

ACR COBHAM

406Link.com

AQUALINK™ 406 MHz GPS-INTEGRATED PLB WITH STROBE

With three levels of integrated signal technology, GPS positioning, a powerful 406 MHz signal and 121.5 MHz homing capability the AquaLink quickly and accurately relays your position to a worldwide network of Search and Rescue satellites, reducing search time and increasing your chances of survival. This self-locating beacon eliminates the waiting time required for traditional LEOSAR satellites to fix your position to get help on the scene quickly. And ACR's professional grade 66-channel internal GPS engine allows for better cold-start performance.

2882

ACR COBHAM

406Link.com

AQUALINK™ VIEW 406 MHz GPS-INTEGRATED PLB WITH STROBE & DIGITAL DISPLAY

Featuring the same advanced technology and robust features as the AquaLinkTM 406, the AquaLink View™ adds a reassuring element with its next-generation digital display. Upon activation, the high-visibility screen displays a continuous stream of crucial data, including:

- Confirmation that the beacon is working
- Your exact GPS coordinates
- Remaining battery power
- Visual prompts for correct deployment

2884

ACR COBHAM

GLOBALFIX™ IPRO 406 MHZ GPS EPIRB WITH DIGITAL DISPLAY AND DUAL GPS TECHNOLOGY

The GlobalFix iPRO utilizes both a powerful internal GPS engine and an optical link to a shipboard GPS to ensure that accurate coordinates are acquired and quickly beamed to Search and Rescue satellites (typically within 2 – 15 minutes vs. up to an hour or more with a non-GPS system). High efficiency electronics and an ergonomic, compact design save a valuable commodity onboard — space!

Manual Category II LowPro3 bracket has a low profile and features a 2-part design for easy mounting and quick removal when needed

Automatic Category I Sea Shelter3 bracket is fully enclosed and is made of high-density, UV-stabilized polyethylene for years of extreme abuse; the patented rod system releases the beacon when submerged in water between 4.9 and 13.1 ft (1.5 – 4 m)

406Link.com

2848 GlobalFix iPRO CAT II Class 2 Manual Deploy
2846 GlobalFix iPRO CAT I Class 2 Automatic Deploy

ACR COBHAM

GLOBALFIX™ PRO 406 MHZ EPIRB WITH INTERNAL GPS

Features a professional grade, 16-channel GPS receiver for faster location acquisition — typically 3 to 5 times faster than a conventional GPS from a cold start. Upon activation, the built-in GPS receiver transmits your position coordinates in a powerful 406 MHz signal along with your registered, digitally-coded distress signal and a 121.5 MHz SAR homing frequency. The 110-yd (100-m) GPS position accuracy is the optimum allowed by Cospas-Sarsat. The GlobalFix PRO also features a built-in LED strobe light, full-function test mode and GPS acquisition testing.

Manual Category II LowPro3 bracket has a low profile and features a 2-part design for easy mounting and quick removal when needed.

Automatic Category I Sea Shelter3 bracket is fully enclosed and is made of highdensity, UV-stabilized polyethylene for years of extreme abuse; the patented rod system releases the beacon when submerged in water between 4.9 and 13.1 ft (1.5 – 4 m).

406Link.com

2844 GlobalFix PRO CAT II Class 2 Manual Deploy
2842 GlobalFix PRO CAT I Class 2 Automatic Deploy

ACR COBHAM

Beacon Name	GlobalFix™ iPRO Cat I /Cat II	GlobalFix™ PRO Cat I /Cat II	Satellite$_3$™ Cat I /Cat II
Model #	RLB-36	RLB-37	RLB-38
ACR Product #	2846.0/2848.0	2842/2844	2874/2875
Frequency	406.037 MHz 121.5 MHz Homing	406.037 MHz 121.5 MHz Homing	406.037 MHz 121.5 MHz Homing
GPS	Internal and Optical Interface (NMEA)	Internal	GPS Interface (NMEA) Optional
Location Accuracy	.05 nm (110 yards)	.05 nm (110 yards)	2.3 nm or .05 nm with GPS Interface
Size: in (cm) Weight: lbs (g)	15.3 X 4.2 X 3.6 in (38.9 X 10.7 X 9.1 cm) 1.32 lbs (600 g)	15.3 X 4.2 X 3.6 in (38.9 X 10.7 X 9.1 cm) 1.31 lbs (595 g)	15.3 X 4.2 X 3.6 in (38.9 X 10.7 X 9.1 cm) 1.31 lbs (595 g)
Notification Time	2-15 min.	2-15 min.	2-15 min. with GPS Up to 1 hr., non GPS
Deployment	Automatic (Category I) Manual (Category II)	Automatic (Category I) Manual (Category II)	Automatic (Category I) Manual (Category II)
Activation	Water or Manual	Water or Manual	Water or Manual
Bracket, Cat II	Low Pro 3	Low Pro 3	QuickDraw
Minimum Required Battery Life	48 hours @ -4°F (-20°C)	48 hours @ -4°F (-20°C)	48 hours @ -4°F (-20°C)
Typical Battery Life	72 hours @ -4°F (-20°C)	72 hours @ -4°F (-20°C)	72 hours @ -4°F (-20°C)
Digital Display	Yes	No	No
Waterproof	To 33 ft. (10 m)	To 33 ft. (10 m)	To 33 ft. (10 m)
Buoyant	Yes	Yes	Yes
Batteries/ shipping	Lithium non-Hazmat	Lithium non-Hazmat	Lithium non-Hazmat
Strobe Light	Yes	Yes	Yes
GPS Location Tests	Yes	Yes	No
406Link.com	I'm OK (only)	I'm OK (only)	I'm OK (only)

ACR COBHAM

SATELLITE3 406™ CAT I 406 MHZ EPIRB

406Link.com

The SATELLITE3 406™ EPIRB has quietly built a reputation in the commercial fishing industry. This workhorse utilizes a proprietary electronics package for faster, more stable 406 MHz transmissions to low-earth orbiting LEOSAR satellites. In an emergency, your registered, digitally-coded distress message is broadcast via a powerful 6-watt, 406 MHz signal (typically within 1 hour). An integrated 121.5 MHz homing signal then guides local Search and Rescue (SAR) efforts. Upgrade to GPS positioning with the optional GPS interface cable (sold separately). This connects the SATELLITE3 to your vessel's GPS receiver to continuously update and store precise position data. GPS positioning narrows the search radius from 2.3 nm down to .05 nm (110 yds) and provides SAR notification typically in 2–15 minutes.

Manual Category II bracket has a low profile and is easy to rail mount or secure on deck.

Automatic Category I Sea Shelter3 bracket is fully enclosed and is made of high density, UV-stabilized polyethylene for years of extreme abuse; the patented rod system releases the beacon when submerged in water between 4.9 and 13.1 ft (1.5 – 4 m).

2874 Satellite3 Cat I Class 2 Automatic Deploy
2875 Satellite3 Cat II Class 2 Manual Deploy

KANNAD marine

SAFELINK SOLO PLB 406 MHz EPIRB WITH GPS

SAFELINK SOLO

The SafeLink SOLO is particularly useful for sailing and water sports enthusiasts as it is waterproof to 10 metres and buoyant when used in it's flotation pouch. It also comes complete with a lanyard to keep the PLB around your wrist, and a universal pouch allowing the PLB to be attached to a belt or strap. Internationally approved. SafeLink SOLO PLB works by transmitting an emergency signal via the dedicated 406 MHz distress frequency, which is monitored by the global COSPAS-SARSAT satellite system, alerting international search and rescue services to the emergency situation and the ID of the PLB user. In addition, the integral 50 channel GPS gives search and rescue services accurate location coordinates, updating them every 20 minutes. The SafeLink SOLO PLB also transmits on the 121.5 MHz homing frequency so that when the emergency services get close they can 'home in' on the signal. Once activated the SafeLink SOLO PLB will transmit constantly for a minimum of 24 hours, and will operate at temperatures down to -20°c. It also has an SOS LED flashing light that the user can switch on to aid rescue in the dark.

- Subscription-free & no call charges
- Compact, light and durable
- Waterproof to 10m and buoyant when used with flotation pouch
- True global emergency alerting via COSPAS-SARSAT satellites
- 406 MHz international distress signal and 121.5 MHz homing signal
- 50 channel integral GPS
- Minimum of 24 hours continuous operation
- Simple 3 stage activation
- Operates at temperatures down to -20°c
- SOS LED flash light
- Self-test up to 12 times per year
- 5 year replaceable battery life
- Flotation pouch, lanyard and universal pouch included

K91-001-310A

Everything you need is included in the box:



KANNAD marine

SAFELINK PRO PLB 406 MHz EPIRB WITH GPS

SAFELINK PRO

The new Safelink Pro Personal Location Beacon (PLB) brings added dimensions to safety with a minimum 48 hour operational battery life at temperatures as low as -20°c. Safelink Pro battery packs have a five year storage life and are user replaceable. The Safelink Pro PLB is a compact and rugged palm-sized unit designed to be carried by individuals as a last resort safeguard against any life threatening incidents that may occur anywhere in the world. Whether alone or within a group, on holiday, at work, carrying out your sport or hobby, if you ever find yourself in a remote area without any other form of communication, the Safelink Pro PLB comes into its own. Once activated it transmits a unique identification signal along with your current position via the international search and rescue satellite system operated by COSPAS-SARSAT on 406 MHz. The call for help is then quickly passed to regional search and rescue authorities who can rapidly get to the scene. Safelink Pro is waterproof to 10m and designed to withstand the harshest of environments while still being extremely easy to operate and small enough to carry with you at all times. Safelink Pro PLB has a unique discreet antenna deployment system with simple three-stage, manual operation to prevent any risk of accidental or false activation. In its stored state, the antenna is completely hidden from view and fully protected against rough handling. Once deployed, the antenna automatically springs into the optimum position ready for use. The Safelink Pro's integral multi channel GPS receiver gives a typical positional accuracy of +/- 62 metres and new position updates every 20 minutes, significantly reducing the normal search area down from a 28sq nm area, when given a clear view skyward. It also has visual indication of GPS position acquisition.

- FCC approved
- Internationally approved
- Integral multi channel GPS
- Transmits on 406 and 121.5 MHz
- Visual indication of GPS position acquisition
- Minimum 48 hour operational battery life
- 5 year battery life
- 60 comprehensive diagnostic and self tests during battery life
- Waterproof to 10 metres
- Buoyant/floats
- Global emergency alerting via COSPAS-SARSAT satellites
- Simple three stage activation
- Automatic discrete antenna deployment
- User replaceable battery packs
- Carry pouch and lanyard included

K85-890-004A

SAFELINK

KANNAD marine

SAFELINK 406 MHz EPIRB WITH GPS

This ultra compact and stylish 406 MHz EPIRB comes with a built in high accuracy GPS as standard, for enhanced position location and a user replaceable battery* with a 6 year life. Meeting the demands of both commercial mariners and recreational boaters, the new Safelink EPIRB heralds the arrival of the next generation in EPIRB technology. The Safelink EPIRB range offers two models, one features a manual deployment bracket and the other an automatic deployment housing which also includes a hydrostatic release unit. This ultra compact and stylish 406 MHz EPIRB comes with a built in high accuracy GPS as standard, for enhanced position location and a user replaceable battery* with a 6 year life. The Safelink EPIRB range offers two models, one features a manual deployment bracket and the other an automatic deployment housing which also includes a hydrostatic release unit. The Safelink 406 MHz EPIRB is designed to operate with the COSPAS-SARSAT international search and rescue system. The unit can be activated automatically by immersion in water, or manually by following the activation instructions printed on the unit. The built in GPS receiver ensures that an accurate position of a casualty is relayed to the rescue services. This in turn improves the speed of recovery by updating the position of the beacon at regular intervals.

- FCC approved
- Internationally approved
- Ultra compact and stylish
- Transmits on 406 and 121.5 MHz
- Integral 20 channel GPS
- User replaceable battery* (leisure users only)
- High brightness LED flashing locator light
- 72 comprehensive diagnostic and self-tests during battery life
- Once activated, will transmit for a minimum of 48 hours
- 6 year battery life
- 5 year warranty
- Non hazardous battery for safe and easy transportation

K1202367 Auto Release
K1202311 Manual Release

KANNAD marine

KANNAD MARINE EPIRB NON GPS

The Kannad Marine 406 MHz EPIRB meets IMO SOLAS requirements when purchased with the Auto housing, making it suitable for all classes of Commercial vessel. Alternatively, it can be purchased with a manual deployment bracket for non legislated use. It has been designed to operate with the COSPAS-SARSAT 406 MHz international search and rescue system. The unit can be activated automatically by immersion in water, or manually by following the activation instructions printed on the unit. The Kannad Marine 406 MHz EPIRB meets IMO SOLAS requirements when purchased with the Auto housing, making it suitable for all classes of Commercial vessel. Alternatively, it can be purchased with a manual deployment bracket for non legislated use. It has been designed to operate with the COSPAS-SARSAT 406 MHz international search and rescue system. The unit can be activated automatically by immersion in water, or manually by following the activation instructions printed on the unit. The new Kannad Marine EPIRB has a 5 year battery life and meets the demands of both commercial mariners and recreational boaters.

- FCC Approved
- Internationally Approved
- Transmits on 406 and 121.5 MHz
- Non hazardous battery for safe and easy transportation
- Unique CARRYSAFE bracket available for safe transportation
- High brightness LED flashing locator light
- 60 comprehensive diagnostic and self-tests during battery life
- Once activated, will transmit for a minimum of 48 hours
- 5 year battery life
- 5 year warranty

K82-804-004A Auto Release
K82-804-003A Manual Release

MINI ECONOMY SINGLE HORN

304 stainless steel cover, diaphragm and mounting bracket.
3"L x 3-1/4"W x 1-3/4"H.
105 db rating, 12VDC
*1 year warranty

ONG10035

MINI ECONOMY DUAL HORN

304 stainless steel covers, diaphragms and mounting bracket.
3"L x 8"W x 1-3/4"H.
112 db rating, 12VDC
*1 year warranty

ONG10001

SEADOGLINE SINGLE MINI COMPACT HORN

12v/110db rating. Stamped 304 stainless cover. 3-5/16"W x 3-5/8"D. Meets ABYC standard A-23, NMMA type accepted, for use on vessels under 39'.

430110

SEADOGLINE TWIN MINI COMPACT HORN

12 volt. Stamped 304 stainless cover. 8"W x 3-5/16"D. Meets ABYC standard A-23, NMMA type accepted #748120, for use on vessels under 39'.

430120

STAINLESS STEEL DELUXE MINI SINGLE HORN

All stainless steel inside and outside.
dB rating:108
3"L x 3-1/4"W x 1-3/4"H.
5 year warranty, 12VDC

ONG10036

STAINLESS STEEL DELUXE MINI DUAL HORN

All stainless steel inside and outside.
dB rating: 111, 12VDC
3"L x 8"W x 1-3/4"H.
5 year warranty

ONG10002

AFI MINIBLAST™ COMPACT ELECTRIC HORN

- High style, above deck compact horn
- Measures: 3-3/8"W x 2"H x 4-3/8"L
- Long lasting, non-corrosive ASA plastic cover
- Mounts in same hole pattern as the 10035 horn
- dB(A) rating: 107 at one meter (3 feet)
- Meets ABYC A.23 and NMMA type accepted

12VDC

10098 Black
10099 White



STAINLESS STEEL MINI HIDDEN DROP IN SINGLE HORN

All stainless steel inside and outside.
dB rating: 108, 12VDC
3"L x 3-1/4"W x 1-3/4"H.
5 year warranty

ONG11032

STAINLESS STEEL MINI DROP-IN HORN

All stainless inside and out
Dimensions: 3"L x 3-1/4"W x 1-3/4"H
Stainless grill dimensions: 4-7/8" x 2-3/8"
105 db rating, 12VDC
5 year warranty

ONG10050



SEADOGLINE FLUSH MOUNT COMPACT HORN

Stamped 304 stainless/plastic cover. Meets ABYC standard A-23. For use on vessels under 39'. Includes chrome or white plastic cover.

	Amps	DB	A	B	C	D
430210	4A	110	5"	2-5/8"	4"	4-1/8"

AFI DROP-IN HIDDEN HORN

Comes with both white ASA and black ABS screw-in grills with water resistant fabric liners.
cutout: 2-3/4" Dia. x 1" deep.
111dB(A) at one meter.
12VDC

10080

ONGARO STAINLESS STEEL DELUXE TRUMPET HORNS

- Sealed sound units
- 304 stainless steel exteriors, interiors, diaphragms & mounting brackets
- Fits other major brand's hole patterns
- Much louder than competitors
- Pre-wired and marked positive or negative
- 5 year warranty

ALL STAINLESS DELUXE SINGLE SHORTY HORN

304 Stainless inside & outside. Single foot mount with no forward standoff. 13-1/2"L x 3-1/2"W x 4"H. 114db rating.

ONG10009 12V

STAINLESS STEEL DELUXE SINGLE TRUMPET HORN

All 304 stainless steel inside & outside.
16-1/2"L x 4"W x 4-3/4"H. 118 dB rating.

ONG10027 12V

ALL STAINLESS DELUXE DUAL SHORTY HORN

304 Stainless inside & outside. Single foot mount with no forward standoff. 15-3/4"L x 7"W x 4"H. 121 db rating

ONG10012 12V

STAINLESS STEEL DELUXE DUAL TRUMPET HORN

All 304 stainless steel inside & outside. Single foot mount with foreward standoff. 18-1/2"L x 8"W x 5"H. 122 1m dB rating.

ONG10028 12V
ONG12428 24V

WHITE POWDER COATED DELUXE DUAL TRUMPET HORN

All 304 stainless steel inside & outside. Single foot mount with foreward standoff. 18-1/2"L x 8"W x 5"H. 122 dB rating.

ONG10128 12V

BUELL AIR HORNS

Commanding and powerful, Buell air horns are ideal for marine applications that require an assertive signal - both yacht and work boat. Buell air horns are made of solid brass with a polished and chrome plated finish. The signal of Buell air horns is clear and unmistakable.



DC AIR COMPRESSOR

Tank mounted. 25"L x 8"W x 14"H

BUE5440-3 12 volt
BUE5444-3 24 volt



DUPLEX AIR HORN

20" overall length, 6.75" H, 6.5" flare diameter

BUEDS



TRIPLEX AIR HORN

20" overall length, 10.25" H, 6.5" flare diameter

BUETS

DC SOLENOID VALVE

Fiberglass filled nylon body, 1/4" NPT ports

BUE42076 12 volt valve
BUE42077 24 volt valve
BUE2108 3/8" tubing (sold by the foot)

SINGLE TRUMPET MINI AIR HORN

- Non-corrosive Lexan® diaphragms
- Includes compressor, air tubing, fittings and hardware
- Maximum amp draw: 12V:20amp
- 9-1/2"L x 3-1/2"W x 3-1/2"H
- dB rating: 126 @ 1m

10107 12v chrome plated solid brass
10102 12v replacement compressor only

SINGLE TRUMPET AIR HORN

- Includes compressor, air tubing, fittings, and hardware
- Dimensions: 17" L x 3-3/4" W x 3-3/4" H
- Maximum amp draw: 12 Volt: 20 Amp
- dB(A) rating: 120 at one meter

10105 12v chrome plated solid brass
10102 12v replacement compressor only

DUAL TRUMPET AIR HORN

- Non-corrosive Lexan® diaphragms
- Includes compressor, air tubing, fittings and hardware
- Maximum amp draw: 12V:20amp
- 17"L x 7"W x 3-3/4"H
- dB rating: 121 @ 1m

10106 12V chrome plated solid brass
10102 12v replacement compressor only

ECO BLAST RECHARGEABLE BOAT AIR HORN KIT

The refillable Eco Blast Air Horn emits a powerful 120 db signal that meets all U.S.C.G. requirements. Unlike chemical horns, the Eco Blast is environmentally safe and operates in all weather and temperature extremes. Includes pump.

11804-4

HAND HELD SPORT HORN

- Battery operated - requires one 9V battery (not included)
- Weatherproof
- Solid state electronics

INL545-2010-7 Yellow
INL545-5010-7 Blue

COMMANDER-4 HORN

The best portable boat horn you can buy. Falcon's Commander-4 features an acoustically-designed horn that trumpets an incredible blast of sound. Provides that extra margin of safety you need to avoid accidents or sound a distress signal that's audible up to a mile away. Also ideal for referee use for all sports. Full-size, 12 oz canister.

FC4N Complete horn (chrome top)
FNR Refill

PUSH-BUTTON HORN

The Falcon Push-Button Horn ends breakage problems, the short 4" neck is guaranteed unbreakable! For fog, rescue or any signalling need, this dependable horn packs a loud, mighty wallop of sound to be heard up to a mile away! Refill fits most Push-Button operated horns on the market.

PBSHN Complete horn (plastic top)
PBSHNR 12 oz refill

ECO SOUND HORN

- 99.5% Lower GWP (Global Warming Potential)
- Minimum Carbon Footprint Canister
- 100% Non-Flammable
- Can be heard up to one mile away!
- Guaranteed unbreakable

FMGRNHN Complete horn (plastic top)
FMGRNHNR refill

JR SIGNAL HORN

Compact, easy to store, mid size horn. Can be heard over a mile away.

PBNJC Complete horn

SUPER SOUND

The smallest of Falcon portable air horns, this horn has "big" sound. Small enough to fit into pockets, purses, etc.

SH3 Complete horn
SH3R 3 oz refill (twin pack)

SPORTS HORN

Cautious boaters and fishermen who use these flammable gas-powered horns will find the Falcon Sports Horn an indispensable piece of gear, and will rely on the super-loud blast that can be heard up to a mile away.

FSH Complete horn
FSHR Refill

T2000 S.O.L.A.S. WHISTLE

The extra high frequency of the Tornado 2000 hits heights not reached by any other whistle, The T2000 has Three chambers: Two ultra high frequencies to cut through background noise and one low frequency for great distance.

ACMT2000M Orange T2000 Whistle (packaged)
ACMT2060 Jar of 60 T2000 Orange Whistles

636 TORNADO SLIM LINE WHISTLES

Official approved, water safe and unaffected by water. Approved for life jackets, immersion suits, life rafts and rescue craft. S.O.L.A.S. Safety Of Life At Sea Regulations. Very high frequency.

ACMT1636GL 636 Glow Whistle (packaged)
ACMT1636OR 636 Orange Whistle (packaged)
ACMT1636PK 636 Pink Whistle (packaged)
ACMT1636YL 636 Yellow Whistle (packaged)
ACMT1636 Jar of 100, 636 Orange Whistles
ACMT1636A Jar of 100, 636 Assorted Whistles

649 SURVIVAL WHISTLE

Life saving/rescue whistle. Far carrying dual frequency designed to stand out from background noise S.O.L.A.S. and NATO approved, will not adhere to skin in sub zero temperatures.

ACM649 Orange, Each

MARINE WHISTLE

Injection molded polystyrene

571252
571252-5 POP display c/w 35 whistles

WHISTLE

Duotone whistle has no moving parts or balls to jam or corrode. Handy clip secures whistle until needed. A 26" lanyard is included with display packaging only.

571260 Each
571260-5 POP display of 40

LIFESAVER SAFETY WHISTLE

Designed by search and rescue professionals.

780S Packaged
782S Bulk
784S Pealess Packaged
786S Pealess Bulk

SS58 TITANIC MATES WHISTLE

This authentic Titanic Mates Whistle is as supplied to the White Star Line for use on the Titanic in 1912 using the original tooling, and is supplied with certificate of authenticity.

ACMSS Each

THE METROPOLITAN POLICE WHISTLE

Developed by ACME in 1883 for Scotland Yard and Metropolitan Police. Used extensively for the armed forces through out World War I and World War II. This high decibel whistle can be heard up to one mile away.

ACM15 Nickel plated brass, Each

AUTHENTIC BOATSWAIN PIPE

Original ACME design of 1870. Was used to give commands to the crew of ships, the high pitched notes can be heard in the worst gales. Today it is used mostly for ceremonial purposes. Each pipe supplied with a certificate of authenticity and instruction for use.

ACM12 Chrome, Each
ACM92 Lanyard chain for Boatswain pipe

CAST BRASS BELL

Polished brass. 8".

455720

HEAVY CAST BRASS BELL

This heavy polished cast brass bell has a deep tone and resonates a beautiful sound as a ship's bell should. 8".

455880

WATERTIGHT FIRST AID KIT

Contains 16 essential items, over 85 total pieces, all in a rugged watertight buoyant container. Also included is a bonus Lifesaver #1 Safety Emergency Whistle.

789S

DOCK EDGE

MARINE FIRST AID KIT

Durable, high-quality nylon packaging protects the tools you need in an emergency. Guaranteed for a minimum shelf life of five years if the package is not damaged or punctured. Complete with one-wound, one-pack system which makes it quick and easy to access materials.

Contains: Small wounds: 25 adhesive bandages (1.9cm x 7.5cm), 1 adhesive square (5cm x 7.5cm), 1 knuckle bandage; Medium wounds: 1 gauze bandage (7.5cm x 4.5m), 1 gauze bandage (10cm x 4.5m), 2 gauze pads (5cm x 5cm), 2 gauze pads (10cm x 10cm); Large wounds and burns: 2 pressure bandages (10cm x 10cm), 2 non-adherent pads (7.5cm x 10cm); Additional supplies: 2 cool gel, 1 face shield, 10 insect sting relief pads, 3 acetaminophen tablets (2 per pack), 1 roll of adhesive tape (1.25cm x 4.5m), 1 pair of tweezers, 12 cleansing wipes, 2 pairs of vinyl gloves, 1 abdominal pad (20cm x 25cm), 8 safety pins, 1 triangular bandage, 1 rescue sheet, 1 pair of scissors.

DOC98-788-F

ORION

FIRST AID KIT

Approved by Transport Canada for small commercial boats. The waterproof plastic case keeps contents clean, organized and easy to grab.

Contains:
20 adhesive bandages, 2 sterile pads, 2 gauze bandages, 1 elastic bandage, 1 triangular bandage, 2 safety pins, 1 roll of adhesive, 1 pair of safety scissors, 10 antiseptic wipes, 1 set of First Aid instructions, 4 latex exam gloves, 1 resuscitation face shield.

ORI765

ORION

COASTAL FIRST AID KIT

Packed in double zipper, PVC coated nylon bags with room to add additional safety products. 77 total pieces.

Contains: Adhesive strips: 10 adhesive strips, 2 x-large adhesive strips, 2 knuckle bandages, 2 fingertip bandages. Wound dressings: 4 butterfly closures, 2 gauze pads (3"), 2 gauze pads (4"), 1 adhesive tape, 1 gauze bandage, sterile (4" with clips), 1 triangular bandage (40" non-sterile); Antiseptics, medicinals: 2 first aid/burn cream, 20 antiseptic wipes, 2 triple antibiotic packets, 6 antiseptic towelettes, 1 sting relief wipe, 4 X/S non-aspirin (gen. X/S Tylenol), 4 motion sickness tablets; Additional products: 6 latex exam gloves, 1 elastic bandage (4"), 1 instant cold pack.

ORI840

ORION

DAYTRIPPER FIRST AID KIT

Waterproof zip lock, PVC coated nylon pouch with velcro attachment that can affix to bulkhead or folded and worn on your belt. Meets basic requirements for cuts and scrapes. 40 total pieces.

Contains: Adhesive strips: 10 adhesive strips, 1 x-large adhesive strip, 1 knuckle bandage, 1 fingertip bandage; wound dressings: 2 gauze pads (3"), 1 adhesive tape; antiseptics, medicinals: 1 first aid/burn cream, 1 triple antibiotic packet, 15 antiseptic wipes, 1 sting relief wipe, 2 X/S non-aspirin (gen. X/S Tylenol), 2 motion sickness tablets; Additional products: 2 latex exam gloves.

ORI942

ORION

RUNABOUT FIRST AID KIT

Perfect kit to put in your glove box to handle common minor mishaps. The waterproof plastic case keeps contents clean, organized and easy to grab. 38 total pieces.

Contains: Adhesive strips: 10 adhesive strips, 1 x-large adhesive strip, 1 knuckle bandage, 1 fingertip bandage; Wound dressings: 2 gauze pads (3"), 1 adhesive tape; Antiseptics+ medicinals: 6 first aid/burn cream, 6 antiseptic wipes, 3 sting relief wipes, 6 Aspirin; Additional products: 1 First Aid instructions.

ORI962

ORION

CRUISER FIRST AID KIT

Perfect for the large boat cruiser to protect family and guests. The wall mounted, waterproof case holds a larger selection of items to handle emergencies for the active boater. 158 total pieces.

Contains: Adhesive strips: 50 adhesive strips, 5 x-large adhesive strips, 5 knuckle bandages, 5 fingertip bandages; Wound dressings: 8 gauze pads (3"), 4 gauze pads (4"), 2 gauze bandages (2"), 1 gauze bandage (4"), 1 large wound pad, 1 adhesive tape, 2 eye pads; Antiseptics + medicinals: 6 first aid/burn cream, 30 antiseptic wipes, 6 sting relief wipes, 3 sunscreen packets, 10 Aspirin, 12 motion sickness tablets; Additional products: 1 triangular bandage, 1 cold pack, 1 scissors, 1 forceps, 1 First Aid instructions, 2 latex exam gloves.

ORI965

DAVIS

TEAM® BOAT HOOKS

A tough boat hook is a valuable asset when launching, docking, mooring or retrieving your favourite hat. Team fixed boat hooks come in two lengths, 4' and 6'. Our telescoping boat hooks adjust to 8' or 12'. The threaded end accepts a deck brush, mop, squeegee and other accessories. A highly visible, soft vinyl tip covers the threads and protects the boat's finish when fending off. All Team boat hooks float!

DAV4122	Adjusts from 53" to 8', 2 section
DAV4132	Adjusts from 38" to 8', 3 section
DAV4152	Adjusts from 54" to 12', 3 section
DAV4042	4' fixed length
DAV4052	6' fixed length
DAV5141	Replacement orange tip



SEADOGLINE

BOAT HOOK

Injected Molded Nylon/Aluminum. Boat Hook has two sections that expand from 47-1/2" to 79" with a riveted hook and a rubber grip.

491000

SEADOGLINE

DELUXE BOAT HOOK

Injected Molded Nylon/Aluminum. Deluxe Boat Hook has three sections that expand from 42-1/2" to 95" with screw on hook and a rubber grip.

491010

BOAT HOOKS

- Extend your reach
- They float!
- Smooth telescoping twist lock with rolled tube edge for ease of use, comfort and maximum strength
- Clear satin finish, premium grip
- Hooks are permanently attached with unique formed dimple
- High tensile anodized aluminum tube resists corrosion
- Comfortable non-slip vinyl safety grip is permanently attached as a handle

FIXED LENGTH BOAT HOOKS

Glass reinforced nylon hook.

GAR55004	4'
GAR55006	6'
GAR55008	8'

TELESCOPING BOAT HOOKS

- Ribbed hook and body for extra strength
- Wide gap to grab large objects
- Premium red cushioned tip
- Large surface for fending off line and stanchions
- Guaranteed unbreakable hook, non-corrosive glass reinforced nylon, UV resistant

GAR55190	48" to 90", 2 section

PREMIUM TELESCOPING BOAT HOOKS

- Wide gap to grab large objects
- Premium poly vinyl, mar-resistant tips
- Powder-coated, durable, tensalloy die cast, corrosive-resistant aluminum hook

GAR55170	42" to 96", 3 section
GAR55175	56" to 144", 3 section

Star brite

ECONOMY BOAT HOOK

Telescoping floating aluminum pole extends from 4 ft. (124 cm) to 8 ft (243 cm) with special fast locking cam action. Boat hook is made of unbreakable glass reinforced nylon.

S40609 Adjusts from 4' to 8'

DOCK EDGE

AQUAMAT™

Useful in all environments indoors and out. Manufactured from a fast-drying resilient PVC compound specially formulated for mold and mildew prevention. Low profile Aquamat tiles provide a fast draining, sure-grip surface. Protects boat decks, storage lockers, floors and vehicles from damage caused by impact with hard or heavy objects. Ideal as a fatigue relief mat in work areas. Can be cut easily to fit irregular areas. Perfect around swimming pools and marinas where slippery surfaces may be a liability. 6 tiles per pack.

12" x12"

DOC7100-F	Charcoal Grey
DOC7500-F	Charcoal Grey Ramp

TREADMASTER



TREADMASTER ORIGINAL ANTI-SLIP DECKING

Treadmaster Original is the world leader in anti-slip decking, combining exceptional slip resistance with durability and comfort in wet and dry conditions. It provides a high degree of insulation and reduces reflective glare from deck surfaces. Treadmaster Original range – this encompasses our traditional Diamond and Smooth Pattern anti-slip materials which are much the same as the original products launched over 40 years ago. Both Diamond (DP) and Smooth (SP) pattern provide a very high level of performance and are suitable for all applications right up to the most testing of environments, they are available in a range of colours that make them look right at home in almost any situation.

TREADMASTER ORIGINAL SHEETS DIAMOND PATTERN

Diamond #	Colour	Dimensions
TU-008312	Blue	47-1/2" (1200mm) x 35-3/8" (900mm) x 3mm Thick
TU-008320	Fawn	
TU-008341	Light Blue	
TU-008347	Grey	
TU-008342	Light Grey	
TU-200308	Black	
TU008339	Green	
TU-008363	White Sand	
TU-200075	Black (engine Room)	

TREADMASTER ORIGINAL SHEETS SMOOTH PATTERN

Smooth #	Colour	Dimensions
TU-011100	Blue	47-1/2" (1200mm) x 35-3/8" (900mm) x 2mm Thick
TU-011151	Fawn	
TU-011152	Light Blue	
TU-011259	Grey	
TU-011306	Light Grey	
TU-200309	Black	
TU-011356	White Sand	

TREADMASTER ATLANTEAK TEAK EFFECT ANTI-SLIP DECKING

This versatile decking material combines the look and feel of teak with the non-slip characteristics of Treadmaster.

3 Styles available:

TK: Made from thermo-plastic material - Extremely hard wearing

TK-C: Made from the same cork & rubber coposite as Treadmaster origional - Great comfort & anti-slip properties

TK-G: Natural wood grain effect with great anti-slip properties Available in routed or plain (un-routed)

TK (Routed)	Colour	Dimensions
TU-200544	Teak	98-3/4" x 39-3/8" x 3mm Thick
TK-C (Routed)	**Colour**	**Dimensions**
TU-200545	Teak	78-3/4" x 39-3/8" x 3mm Thick
TU-200546	Teak	22-1/4" x 8" x 3mm Thick
TK-G (Routed)	**Colour**	**Dimensions**
TU-200677	Teak	98-3/4" x 39-3/8" x 3mm Thick
TK-G (Plain)	**Colour**	**Dimensions**
TU-200678	Teak	98-3/4" x 39-3/8" x 3mm Thick



M-TEC BLACK ANTI-SLIP FOR INFLATABLES

M-Tec is a welcome addition to the Treadmaster line-up. Specially designed for use on rigid inflatable tubes and compatible with Hypalon systems, Treadmaster M-Tec is resistant to motor oils and fuels. Suitable for both indoor and outdoor applications, Treadmaster M-Tec is the ideal solution for those area's requiring extra protection and added anti-slip.

M-Tec #	Pattern	Dimensions
TU-200699	Small Diamond	39-3/8" x 39-3/8" x 2.5mm, Sheet
TU-200701	Small Diamond	10-3/4" x 5-1/4" x 2.5mm, Pad
TU-200703	Small Diamond	22-1/4" x 8" x 2.5mm, Pad
TU-200700	Ultra Grip	39-3/8" x 39-3/8" x 2.5mm, Sheet
TU-200702	Ultra Grip	10-3/4" x 5-1/4" x 2mm, Pad
TU-200704	Ultra Grip	22-1/4" x 8" x 2mm, Pad

TREADMASTER





TREADMASTER ORIGINAL ANTI-SLIP SELF-ADHESIVE GRIP PADS

Treadmaster Grip Pads have been introduced to provide a quick and easy method of covering small areas of deck. They use materials from the Original range, fitted with a high performance waterproof self- adhesive backing, simply peel and stick!. Ideal for anywhere requiring an easy to fit anti-slip covering. Easy to trim using a craft knife or sharp scissors. Smooth grip pads are 2mm thick & diamond pattern pads are 3mm thick. **All pads come in a pack of 2.**

Diamond #	Smooth #	Colour	Dimensions
TU-200024	TU-200028	Blue	10-3/4" (275mm) x 5-1/4" (135mm) x 3mm Thick
TU-200026	TU-200030	Fawn	
TU-200025	TU-200029	Grey	
TU-200023	TU-200027	White Sand	
TU-200080	TU-200086	Light Blue	
TU-200081	TU-200087	Light Grey	
TU-200310	TU-200311	Black	
TU-200535	N/A	Green	
TU-200031	TU-200039	Blue	21-5/8" (550mm) x 5-1/4" (135mm) x 3mm Thick
TU-200032	TU-200040	Fawn	
TU-200033	TU-200041	Grey	
TU-200034	TU-200042	White Sand	
TU-200082	TU-200088	Light Blue	
TU-200083	TU-200089	Light Grey	
TU-200312	TU-200313	Black	
TU-200536	N/A	Green	
TU-200035	TU-200043	Blue	22-1/4" (412mm) x 8" (203mm) x 3mm Thick
TU-200036	TU-200044	Fawn	
TU-200037	TU-200045	Grey	
TU-200038	TU-200046	White Sand	
TU-200084	TU-200090	Light Blue	
TU-200085	TU-200091	Light Grey	
TU-200314	TU-200315	Black	
TU-200537	N/A	Green	
TU-200406	N/A	Black	23-5/8" x 2"

SeaForce Teak

TEAK DECK STEPS

SFT60502 15" L x 6" W x 1/2" H
SFT60504 11-1/2" L x 4-1/2" W x 1/2" H
SFT60506 8-3/4" L x 3-1/2" W x 1/2" H

SEADOGLINE

DECK STEP WITH LED INSERT

Sold by the pair.

328002 2-1/4" x 8-3/8"
328003 3-3/8" x 8-3/4"

SEADOGLINE

DECK STEP

Injection molded rubber/stamped 304 stainless. Sold by the pair.

328012 2-1/4" x 8-3/8"
328013 3-3/8" x 8-7/8"
328017 Replacement pad for 328012 (pair)
328018 Replacement pad for 328013 (pair)

PERKO

STEP PLATE

Soft black plastic pad with chrome plated zinc alloy frame. Two per package.
3-1/4" x 8-3/4"

1325-DP1CHR

PERKO

STEP PLATE

Soft black plastic pads with chrome plated bronze frames. One per card.

1043-DP1CHR 8-3/4" x 3-1/4"
1043-DP2CHR 11-1/2" x 5-3/4"

PERKO

STEP PLATE

Chrome plated brass frame with soft black plastic tread insert. 7-1/4" x 1-1/2". Two per card.

1015-DPCHR

SEADOGLINE

DECK STEP

Injection molded rubber/ stamped 304 stainless. Sold by the pair.
2-1/4" x 8-3/8"

328010

3M SAFETY-WALK™ HEAVY-DUTY - BLACK

Surfacing has a diamond hard mineral surface for extra traction. It is designed for use around areas of heavy traffic. The backing is coated with a pressure-sensitive adhesive covered by a removable protective liner.

30001T	6" x 24"
SW1	1" x 60'
SW2	2" x 60'
SW4	4" x 60'
SW6	6" x 60'
7730	Dispenser rack, complete with 1 roll each of SW1, SW2 and SW4

3M SAFETY-WALK™ MEDIUM DUTY - GREY

Constructed of a high-friction resilient textured material. Consists of a dimensionally stable plastic film coated with a textured resilient surface. The reverse surface is coated with a pressure sensitive adhesive covered by a removable plastic liner.

SW1GR	1" x 60'
SW2GR	2" x 60'
SW4GR	4" x 60'

3M SAFETY-WALK™ LIGHT DUTY

A fine textured polymer that may be used on boat decks, around and in pools, bath tubs and showers. The reverse side is coated with a pressure-sensitive adhesive covered by a removable protective liner.

White

SW1WH	1" x 60'
SW2WH	2" x 60'
SW4WH	4" x 60'

3M SAFETY-WALK™ EDGE SEALING COMPOUND

Edge Sealing Compound is a liquid solvent-based sealer in a convenient tube applicator. The product seals the exposed edges of SAFETY-WALK Slip Resistant products providing extra protection from excessive moisture or liquids. One five ounce tube seals approximately 75 to 100 linear feet. 5 oz tube.

30073

LIFESAFE ANTI-SLIP SAFETY GRIT STEP STRIPS

Durable in wet or dry conditions. Pre-cut, self-adhesive strips are easy to use, simply peel and stick. 2" x 12' black, 6 strips per pack

RE3892BL

LIFESAFE TRACTION STRIPS

Soft textured vinyl 1" x 12"" (10/pk)

RE3902WH	White
RE3901GR	Grey
RE3900BL	Black

LIFESAFE NON-SKID TEXTURED VINYL TRACTION TAPE

The surface is a deeply embossed PVC with a permanent adhesive backing. There are no harsh grit particles, making this a great choice for bare foot contact. Self adhesive.

RE3900BL	Black, 1" x 12", 10 strips
RE3901GR	Grey, 1" x 12", 10 strips
RE3902WH	White, 1" x 12", 10 strips
RE3922BL	Black, 2" x 12", 6 strips
RE3923GR	Grey, 2" x 12", 6 strips
RE3924WH	White, 2" x 12", 6 strips
RE3953	Black, 2" x 15' roll
RE3955	White, 2" x 15' roll

LIFESAFE ANTI-SLIP SAFETY GRIT STEP TAPE

Constructed of a durable 46-grit aluminum oxide compound for excellent durability and longevity. All tape products are waterproof for extended outdoor use.

RE36028	1" x 15' roll
RE36029	2" x 15' roll

LIFESAFE NEOTAC TRACTION TREAD TAPE

Soft rubbery surface.

RE2614RK	4" x 9" Ribbed
RE2615RK	6" x 21" Ribbed
RE2611PK	4" x 9" Pebbled
RE2613PK	6" x 21" Pebbled

LIFESAFE SOLAS APPROVED REFLECTIVE PATCHES

IMO/SOLAS (Safety Of Life At Sea) compliant microprismatic technology offers excellent long range visibility (over 1 kilometer). Designed to enhance the visibility of life jackets, ring buoys, survival suits and inflatable life rafts. Made from a pliable, thin single layer product, coupled with an aggressive adhesive backing and removable liner.

RE3918	4" x 4" 2-pack
RE3921	2" x 10' roll

3M

SCOTCHLITE™ HIGH INTENSITY SOLAS GRADE 3150 REFLECTIVE TAPE

A flexible, encapsulated lens, highly-reflective material, precoated with an improved aggressive pressure-sensitive adhesive. The sheeting remains highly reflective when totally wet and when viewed at wide entrance angles. Designed for nighttime visibility of life support equipment. It conforms well for application on flexible or rigid substrates used in life support equipment (life rafts, jackets, vests, etc). The sheeting has been successfully applied to most nylon, cotton, rubber and laminated or coated combinations of these materials normally used in the manufacture of life support equipment. Material is Coast Guard and IMO certified. 150' per roll.

3150-A2 Sold by the foot

Forespar

TRUPLUG®

This soft, cone-shaped emergency plug is the adaptable alternative to traditional hard wooden plugs.TruPlug's soft, cone shape design conforms to the unpredictable shapes of most hull breaches. Whether it's a round hole caused by hose or mechanical failure, or an elongated tear due to impact, TruPlug's shape adapts to the leak. Unlike old fashioned wooden plugs, TruPlug can be compressed by hand or cut to fit. 1 per package.

FSP150100

CAMCO

SLIP STOP

Keep everything safe and secure by preventing slipping and sliding. Washable, easily trimmed material works in tool boxes, rugs, floors, shelves, dashboards or anywhere things slide around or rattle in your boat. Use as a liner between plates, cups and appliances. 1' x 12' roll.

CAM43277 Cream
CAM43278 Blue

DAVIS

QUEAZ-AWAY™

Queaz-Away wristbands exert gentle pressure on acupressure points on each wrist to minimize or eliminate the miserable effects of travel. Made of tough, long-lasting, washable materials. One size fits all. Handy carrying case included. 1 pair.

DAV0400

Specity

FIRE NOZZLE

Fog/straight. 30 GPM

4038-30

PICK POINT FIRE AXE

Painted red. 36" wood handle, 4-1/2 lbs, hand regulation size. Weight complete: 5 lbs.

AXE

PERKO

AXE BRACKETS

18-8 polished stainless steel. A set consists of one blade socket and one handle bracket as illustrated.

325-000STS

FIRE BUCKETS

Red painted, white letters. Round bottom.

21563

EXTINGUISHER CLASSIFICATION GUIDE

Here is a guide to aid you in the selection of an extinguisher

CLASS A — **COMBUSTIBLE MATERIALS—**paper, wood, fabric, rubber, most plastics, drapes, bedding, upholstery and trash.

CLASS B — **FLAMMABLE LIQUIDS—,** gasoline cooking oils, kerosene, greases, solvents, paints, other flammable liquids.

CLASS C — **LIVE ELECTRICAL—**fires started by short circuit or faulty wiring in motors, switches, appliances (television, clothes dryers, etc.) The extinguishing agent is electrically non-conductive.

First Alert

MULTI-PURPOSE DRY CHEMICAL FIRE EXTINGUISHERS

Extinguishers come with mounting brackets and securing strap.

	lbs	Class	Colour
1A10BC	2 1/2 lb	1A-10B:C	White
1A10BC-RED	2 1/2 lb	1A-10B:C	Red
10BC	2 1/2 lb	10B:C	White
10BC-RED	2 1/2 lb	10B:C	Red
3A40BC	5 lb	3A-40B:C	Red
5BC	2 lb	5B:C	White
5BC-RED	2 lb	5B:C	Red

FEBRA2-6A Spare bracket & strap for 1A10BC, 10BC & 5BC
FEBRA5-6A Spare bracket & strap for 3A40BC

FD & FG MANUAL/AUTOMATIC FIRE EXTINGUISHING SYSTEM

Designed to protect enclosed compartments. Ideal for marine engine compartment protection. The unit deploys automatically following the detection of heat energy, delivering optimum extinguishing performance in just seconds. For fires just beginning or those electrical in nature that smoke or smoulder a manual operation option in which a cable release located outside the engine compartment may be pulled for safe deployment of extinguishing agent. These FD and FG series systems are **Approved by Transport Canada** to be installed on board Canadian registered vessels for machinery spaces, cargo pump rooms and other enclosed areas with flammable & combustible liquid hazards. The system is not acceptable for cargo hold protection. Uses FM-200 approved extiguishing agent.

FD MODEL SERIES

Feature corrosion resistant refillable cylinders with an extensive range that fits most marine vessel engine compartments.

	Vol. of protection		Vol. of protection
FD150M	150 cu. ft.	**FD600M**	600 cu. ft.
FD175M	175 cu. ft.	**FD650M**	650 cu. ft.
FD200M	200 cu. ft.	**FD700M**	700 cu. ft.
FD225M	225 cu. ft.	**FD750M**	750 cu. ft.
FD250M	250 cu. ft.	**FD800M**	800 cu. ft.
FD275M	275 cu. ft.	**FD850M**	850 cu. ft.
FD300M	300 cu. ft.	**FD900M**	900 cu. ft.
FD325M	325 cu. ft.	**FD950M**	950 cu. ft.
FD350M	350 cu. ft.	**FD1000M**	1000 cu. ft.
FD400M	400 cu. ft.	**FD1050M**	1050 cu. ft.
FD450M	450 cu. ft.	**FD1100M**	1100 cu. ft.
FD500M	500 cu. ft.	**FD1150M**	1150 cu. ft.
FD550M	550 cu. ft.	**FD1200M**	1200 cu. ft.

FG MODEL SERIES

Feature light-weight compact corrosion resistant aluminum cylinders for easy fit and installation. **Non-refillable.**

	Volume of protection
FG25M	25 cu. ft.
FG50M	50 cu. ft.
FG75M	75 cu. ft.
FG100M	100 cu. ft.
FG125M	125 cu. ft.
FG150M	150 cu. ft.
FG175M	175 cu. ft.
FG200M	200 cu. ft.

STINGER EXTINGUISHERS

The tubing responds quickly to excessive temperature increases in the hazard environment, providing rapid yet effective fire suppression.

	Volume of protection	Length of tube
FT25A	25 cu. ft.	10 ft.
FT50A	50 cu. ft.	10 ft.
FT75A	75 cu. ft.	10 ft.
FT100A	100 cu. ft.	15 ft.
FT125A	125 cu. ft.	15 ft.
FT150A	150 cu. ft.	15 ft.

MANUAL DISCHARGE CABLE ASSEMBLIES

Sea-fire FG or FD manual/automatic models require a discharge cable assembly for manual discharge of the extinguishing system. Discharge cables are available in 2' increments from 6' to 20'. Each cable assembly kit includes a pull handle, cable, escutcheon plate, safety pin, tie and instructions.

135-006	6 ft
135-008	8 ft
135-010	10 ft
135-012	12 ft
135-014	14 ft
135-016	16 ft
135-018	18 ft
135-020	20 ft

ACR COBHAM

RAPIDDITCH™ BAG

- Floats; buoyant closed cell foam construction
- Internal pockets and elastic daisy chain organizer
- External pockets allow instant access to EPIRB and GPS
- Record equipment inventory on external, waterproof card
- Shoulder strap functions as tether, leaving hands free in an emergency

Overall size: 28.5"W x 14.75"H x 10"D
EPIRB pockets: 4"W x 8.5"H x 4"D
Other pocket: 4"W x 8.5"H x 10"D
Main compartment: 20"W x 14.75"H x 10"D

ACR2272

ACR COBHAM

RAPIDDITCH™ EXPRESS BAG

- Bag mounts to bulkhead via soft bracket or stows easily
- Four snap-hook tethers keep product in place
- Closed cell "life jacket" foam construction
- Internal pockets, elastic daisy chain organizer
- Rugged 600 Denier Polyester with large self-repairing zippers
- External Pocket allows for instant access to EPIRB

Overall size: 19"W x 15"H x 7"D
EPIRB/GPS pockets: 4"W x 14"H x 4"D
Main compartment: 15"W x 15"H x 7"D

ACR2273

M.I.T. INFLATABLE PFD'S

Membrane Inflatable Technology (M.I.T.) is the next generation of inflatable technology. Made from stretch-fabrics, M.I.T. PFDs use less fabric so they weigh less and offer a far more flexibility

- Lightweight, flexible fit
- Manual inflation(MD2051) - inflates by pulling activation cord
- Automatic inflation(MD2053) -inflates upon water immersion or by pulling activation cord
- 35LB buoyancy when inflated
- Easy inspection and maintenance
- Storage pocket
- Reflective tape & Safety whistle
- Reflectivity for increased visibility in rescue conditions
- Re-usable with re-arm kit MA7203(MD 2051) & MA7202(MD2053)
- Transport Canada/Canadian Coast Guard approved

MD2051NV	Navy, Manual activation
MD2051RD	Red, Manual activation
MD2053NV	Navy, Automatic activation
MD2053RD	Red, Automatic activation

DELUXE INFLATABLE PFD'S

- Safety inspection window
- Neoprene comfort collar
- Durable 420 Denier nylon outer shell
- Compact design lays flat against chest
- Quick and easy repacking
- 35LB buoyancy when inflated
- Height adjustment to provide personalized fit
- Welded seams finished with tape for additional reinforcement
- SOLAS reflective tape, safety whistle & strobe light holder
- All models can be manually activated at any time
- Transport Canada/Canadian Coast Guard approved

MANUAL INFLATION

MD3051NV	Navy
MD3051RD	Red
MD3052NV	Navy with Integrated sailing harness
MD3052RD	Red with Integrated sailing harness

AUTOMATIC INFLATION (with manual backup)

MD3053NV	Navy
MD3053RD	Red
MD3054NV	Navy with Integrated sailing harness
MD3054RD	Red with Integrated sailing harness

HIT™ INFLATABLE PFD'S

Will only automatically inflate when submerged in 4 or more inches of water and not prematurely due to rain, spray or humidity. Easily view the inflator status and replacement date through the safety inspection window. Patented SecureZip™ closure system ensures the PFD will stay closed during even the most rigorous activity. It effortlessly opens upon inflation and is easy to repack. The neoprene Comfort Collar™ is so soft it won't chafe your neck. The integrated sailing harness (MD3154 only) is incredibly lightweight and exceeds ORC standards.

- Hammar 1F auto hydrostatic inflator
- Secure Zip closure
- No inflator maintenance required for 5 years unless inflated
- Neoprene Comfort Collar™
- Cylinder is contained inside bladder to protect against corrosion
- 420-Denier nylon and heavy duty polyurethatne coated nylon
- Strobe light holder, safety whistle & SOLAS reflective tape
- Transport Canada/Canadian Coast Guard approved

MD3153RD	Red / Black
MD3153BK	Black / Carbon
MD3154RD	Red / Black with integrated sailing harness
MD3154BK	Black / Carbon with integrated sailing harness

INFLATABLE BELT PACK PFD

Recommended for paddlers, swimmers, wade fishermen and general recreational boaters. Fits around the waist like a belt, staying out of the way until you pull the inflation cord to provide 35 lb buoyancy. Easy to wear and maintain. Features 3F inflator for easy inspection – green means its ready to go! A great option for people looking for minimal bulk and wanting to control when their PFD inflates.

MD3071BK	Black

RE-ARM KITS

MA7214	For MD3153, MD3154
MA7174	For MD3010, MD3015 & MD3021
MA7270	For MD3017 & MD3019
MA7202	For MD3053 and MD3054, MD2053
MA7203	For MD3051 and MD3052, MD2051, MD3071
MA9211	Bobbin kit for MD3017/19/53/54

ACCEL100 FISHING VEST

Designed specifically for fishing, it blends functional safety with luxurious comfort.

- Fleece lined collar and hand warmer pockets for chilly mornings
- Segmented foam flexes as you move
- Reduced ride-up while sitting
- 500D Cordura® outer shell provides outstanding durability
- AirSoft™ foam creates a flexible and comfortable fit
- D-ring

Colour: Red/Black

MV4621S	Small
MV4621M	Medium
MV4621L	Large
MV4621XL	X-Large
MV4621XXL	XX-Large
MV4621XXXL	XXX-Large

DELUXE SPORTSMAN VEST

- Low-profile construction
- Slim design and flexible foam cut
- Large Cargo Pockets
- Various attachment points
- Multiple adjustment points
- Rugged construction
- CCG approved

Colour: Carbon/Black/Taupe

MV5901S/M	Small/Medium
MV5901M/L	Medium/Large
MV5901L/XL	Large/X-Large
MV5901XL/XXL	Large/X-Large

DELUXE PADDLING VEST

Hard-wearing construction, superior flotation performance, exceptional mobility and great styling.

- Specialized low profile construction contours to the body
- Front entry allows maximum comfort and mobility
- Wide range of adjustments
- Large, accessible, secure double chest pocket
- Attachment points on chest and upper back; D-Ring
- 420-Denier outer shell fabric
- SOLAS reflective tape on upper back
- CCG approved

Colour: Red/Carbon

MV5801S/M	Small/Medium
MV5801M/L	Medium/Large
MV5801L/XL	Large/X-Large
MV5801XL/XXL	X-Large/XX-Large

HORSEPOWER NEOPRENE PFD

Made with high-grade neoprene, the HORSEPOWER Neoprene PFD is designed for serious days on the water. With tone-on-tone tribal seahorse artwork and one of the most flexible fits you'll find on the market, this PFD is ready for all the horsepower you can handle.

- High-grade neoprene for soft, comfortable fit
- Triple-secured front closure
- Two waist belts for snug fit
- Split tail reduces ride-up
- Tribal graphics
- Transport Canada/CCGuard approved

MV1283S-BK	Small, Black
MV1283M-BK	Medium, Black
MV1283L-BK	Large, Black
MV1283XL-BK	X-Large, Black
MV1283XXL-BK	XX-Large, Black
MV1283XXXL-BK	XXX-Large, Black

DIVA DELIGHT WOMEN'S NEOPRENE PFD

the MV1285 Women's Neoprene Vest is designed to inject delightful power into your everyday water activities.

- High-grade neoprene for soft, comfortable fit
- Triple-secured front closure
- Two waist belts for snug fit
- Split tail reduces ride-up
- Mandala pattern tone-on-tone artwork
- Transport Canada/CCGuard approved

MV1285XS-BK	X-Small, Black
MV1285S-BK	Small, Black
MV1285M-BK	Medium, Black
MV1285L-BK	Large, Black
MV1285XL-BK	X-Large, Black

NYLON WATER SPORT VEST

An easy wearing water sport vest made with soft PVC foam and high quality nylon to provide the ultimate fit. Three big buckles keep you strapped in for all the day's activities.

- Soft PVC foam front for extra comfort around collar
- High quality nylon
- Three buckles for secure fit
- Good mobility
- Available in sizes S-XXXL
- Transport Canada/Canadian Coast Guard approved

Blue/Black

MV1273S-PB/BK	Small
MV1273M-PB/BK	Medium
MV1273L-PB/BK	Large
MV1273XL-PB/BK	X-Large
MV1273XXL-PB/BK	XX-Large
MV1273XXXL-PB/BK	XXX-Large

CLASSIC BOATERS VEST

This classic style vest is suitable for any boating activity, from cruising to power boating to general water sports. Adjustable side straps and dual-sizing for a comfortable and easy fit.

MV1271S/M-RD Red, Small/Medium
MV1271L/XL-RD Red, Large/X-large
MV1271L/XL-RB Blue, Large/X-large
MV1271XXL/XXXL-RD Red, XX-Large/XXX-large
MV1271XXL/XXXL-RB Blue, XX-Large/XXX-large

UNIVERSAL ADULT VEST

- 200 Denier Nylon Oxford fabric outer
- Canadian Coast Guard approved
- All PE foam construction

KNTC3570BL/BK 30-52" Chest, blue/black
KNTC3580BL/BK 40-60" Chest, blue/black

UNIVERSAL FIT PFD

A one-size-fits-all solution for boaters of all shapes and sizes This universal-fit PFD provides incredible versatility for both recreational and industrial boaters alike. The perfect PFD to have onboard for drop-in guests or a rotating work crew. Features 3-adjustment belts and open sides for a flexible fit. Fits chest sizes up to 52". Available in red. Transport Canada/Canadian Coast Guard approved.

MV3005RD Red

CLASSIC CHILDREN'S VEST

- 3 piece collar with grab strap
- Adjustable leg strap for security
- Adjustable waist belt
- CCG Approved

Colour: Red/Purple

MV1203 Infant 20 - 30 lbs
MV1205 Child 30 - 60 lbs
MV1207 Youth 60 - 90 lbs

LIL' SPORT NEOPRENE KIDS VEST

For the kids that want to look just like Dad, the new Lil' Sport line offers Transport Canada approved flotation in a kid-size package.

- Supportive head pillow
- Soft, non-chafing neoprene
- Bright yellow for increased visibility
- Tone-on-tone seahorse graphic

MV1113 Infant 20 - 30 lbs
MV1115 Child 30 - 60 lbs
MV1117 Youth 60 - 90 lbs

CREW VEST

- Reversible
- Large collar
- Adjustable belt & drawcord
- Retro-reflective tape
- Universal adult sizing
- CCG Approved to the small vessel regulation standard

MVC10UN

FLOTATION VEST

- CCG approved
- Retro-reflective tape on shoulders

Colour: Orange
Sizes: S, M, L, XL

MV3107S Small
MV3107M Medium
MV3107L Large
MV3107XL X-Large

INDUSTRIAL UNIVERSAL FIT PFD

Offers functional and economical industrial flotation in a universal size vest.

- Three adjustable belts
- Large arm holes for mobility
- SOLAS grade tape on shoulders for added night visibility

MV3005T1 Orange

INDUSTRIAL MESH VEST

- SOLAS reflective tape on front and back
- Mesh shoulders offer mobility and comfort
- Large front pockets with Velcro™ closure
- Side adjustments for dual sizing

Colour: Orange

MV1255T1L/XLOR Large/X Large
MV1255T1S/MOR Small/Medium
MV1255T1XXL/XXXLOR XXL/XXXL

SAR VEST

- Strength rating of 100 mph for safety
- Two large front cargo pockets with easy to use pull tabs for extra storage
- Solas reflective tape for high visibility
- Large cutaway armholes for maximum range of motion
- Neoprene-lined, fitted collar provides comfort and head support
- 3 belt system for a custom fit
- Fast tab radio clip
- CCG approved

Colour: Red
Sizes: S, M, L, XL

MV5601_

ADULT TYPE II LIFE VEST

Canadian Coast Guard approved

KNTC427000 Orange
KNTC427009 Yellow

HIT™ INFLATABLE LIFE JACKET

The Inflatable Life Jacket with HIT™ (Hydrostatic Inflator Technology). The Hydrostatic Inflator Technology offers reliable inflation in a low maintenance design that will only automatically inflate when submerged in 4 or more inches of water and not inadvertently due to rain, spray or humidity. Exclusive to Mustang Survival in North America and maintenance-free for 5 years or until inflated. Made for the most severe marine environments the Inflatable PFD with HIT™ will meet the challenges of the most demanding users.

- 1F auto hydrostatic inflator technology
- 5-year maintenance-free inflator unless inflated
- SecureZip™ closure
- Lightweight and comfortable design
- Neoprene Comfort Collar™
- 35 lb of buoyancy when inflated - twice the flotation of most foam PFDs
- Cylinder is contained inside bladder to protect against corrosion
- Durable heavy duty polyurethane coated nylon
- Strobe light holder, safety whistle & SOLAS reflective tape on inflation cell
- Transport Canada/CCGuard approved

Colour: Orange

MD3157 Adult

CANADIAN STANDARD LIFE JACKET

- Nylon foam construction
- Lightweight & durable
- Block foam for easy storage
- Retro-reflective tape
- CCG approved

Colour: Orange

MD8010 Adult
MD8015 Child - less than 40 kg

CATALYST FLOTATION JACKET & COAT

Mustang set out to make the traditional Floater Coat™ more comfortable, better looking and overall more wearable. The result? Mustang's Catalyst jacket & coat with the all-new M-Tech Comfort System.

- M-Tech Comfort System for unparalleled range of motion & mobility
- Waterproof, breathable, tri-laminate outer shell
- Protection from rain & spray without the clammy feeling of traditional flotation jackets
- Interior, zippered chest and front slash hand-warmer pockets
- Underarm ventilation zippers Front cargo pockets (coat only)
- Reflective accents for enhanced visibility
- Integrated hood with reflective trim
- ComfortCuff™ technology
- D-ring

MJ5245

MC5445

MJ5245 (jacket)

Red/Black	Navy/Black	Black	
MJ5245SR	MJ5245SN	MJ5245SB	Small
MJ5245MR	MJ5245MN	MJ5245MB	Medium
MJ5245LR	MJ5245LN	MJ5245LOB	Large
MJ5245XLR	MJ5245XLN	MJ5245XLB	X-Large
MJ5245XXLR	MJ5245XXLN	MJ5245XXLB	XX-Large

MC5445 (coat)

Red/Black	Navy/Black	Black	
MC5445SR	MC5445SN	MC5445SB	Small
MC5445MR	MC5445MN	MC5445MB	Medium
MC5445LR	MC5445LN	MC5445LOB	Large
MC5445XLR	MC5445XLN	MC5445XLB	X-Large
MC5445XXLR	MC5445XXLN	MC5445XXLB	XX-Large

THERMOSYSTEM PLUS COAT

- Relaxed fit, enhanced mobility & comfort
- Neoprene wrist closures
- Insulated hood easily folds into collar
- Hand-warmer pockets
- Extra large pockets at hips
- Underarm ventilation
- Neoprene beavertail
- SOLAS reflective tape
- Interior radio pocket
- CCG approved

Red	Orange	
MC1535SRD	MC1535SOR	Small
MC1535MRD	MC1535MOR	Medium
MC1535LRD	MC1535LOR	Large
MC1535XLRD	MC1535XLOR	X-Large
MC1535XXLRD	MC1535XXLOR	XX-Large

INTEGRITY™ VEST

- Fully seam taped
- Flexible foam construction offers enhanced mobility and comfort
- Short, low-profile, fleece-lined collar
- Durable nylon and ripstop nylon
- 2 Hand-warmer & 1 inside pocket
- Internal waist belt reduces ride-up
- D-Ring
- CCG approved

Colour: RED / CARBON

MV3225SRD/CA	Small
MV3225MRD/CA	Medium
MV3225LRD/CA	Large
MV3225XLRD/CA	X-Large
MV3225XXLRD/CA	XX-Large

CLASSIC BIB PANT

- Adjustable elasticized suspenders
- Leg zippers allow ease of entry
- Not CCG categorized

Navy	Orange	
MP4212SN	MP4212SO	Small
MP4212MN	MP4212MO	Medium
MP4212LN	MP4212LO	Large
MP4212XLN	MP4212XLO	X-Large
MP4212XXLN	MP4212XXLO	XX-Large

INTEGRITY™ HX BIB PANT

The Integrity™ HX bib pant is ideal for those seeking more warmth and weather protection. A great pant to have when the weather turns for the worse.

- Fully seam taped
- Ripstop nylon knee and seat reinforcements
- Polyurethane-coated nylon hem reinforcement
- Two hand-warmer pockets and zippered stash pocket
- Adjustable suspenders for custom fit

Colour: Black

MP4225HX-S	Small
MP4225HX-M	Medium
MP4225HX-L	Large
MP4225HX-XL	X-Large
MP4225HX-XXL	XX-Large

CLASSIC SUIT

- Designed for use in a range of industrial work environments
- Tug-Tites® at thighs for improved fit
- Velcro closures at wrists & ankles
- SOLAS reflective tape enhances visibility
- Insulated hood
- CCG approved

Colour: Orange = O
Red = RD
Sizes: XS, S, M, L, XL, XXL, XXXL

Red	Orange	
MS185SRD	**MS185SO**	Small
MS185MRD	**MS185MO**	Medium
MS185LRD	**MS185LO**	Large
MS185XLRD	**MS185XLO**	X-Large
MS185XXLRD	**MS185XXLO**	XX-Large

INTEGRITY SUIT

- Neoprene wrist closures for weather protection
- Tug-Tites® at thighs & ankles cinch easily around boots for improved fit
- Ergonomic insulated hood easily folds into collar
- SOLAS reflective tape enhances visibility
- CCG Approved

Colour: Red
Sizes: XS, S, M, L, XL, XXL, XXXL

Red

MS195SRD	Small
MS195MRD	Medium
MS195LRD	Large
MS195XLRD	X-Large
MS195XXLRD	XX-Large

INTEGRITY HX DELUXE SUIT

Seam-sealed, waterproof and highly durable. Designed to protect you from the most inclement weather. Completely insulated with Mustang Airsoft™ foam.

- Adjustable hood with one-hand tighteners
- Water-resistant Comfort Cuff™ can be tightened to prevent water from entering sleeves.
- Ripstop nylon knee and seat reinforcements
- Polyurethane-coated nylon hem reinforcements
- Two cargo pockets and hand-warmer pockets
- Hypothermia and flotation protection - Immersed Clo 0.420
- Relaxed fit for comfort and mobility
- Tug-Tite® at thighs and ankles cinch easily to improve fit and eliminate water flushing to delay onset of hypothermia
- Ergonomic insulated hood easily folds into collar
- SOLAS reflective tape for improved visibility

Colour: Red/Carbon

MS195HX-SRD	Small
MS195HX-MRD	Medium
MS195HX-LRD	Large
MS195HX-XLRD	X-Large
MS195HX-XXLRD	XX-Large

DELUXE ANTI-EXPOSURE COVERALL & WORKSUIT

- Inflatable head support pillow for additional buoyancy
- Neoprene wrist closures for weather protection
- Tug-Tites® at thighs & ankles for improved fit
- Ergonomic insulated hood folds into collar
- Two chest pockets & extra large hip pockets
- SOLAS reflective tape enhances visibility
- CCG approved

Orange	Black/Orange	
MS2195SOR	**MS2195SBK/OR**	Small
MS2195MOR	**MS2195MBK/OR**	Medium
MS2195LOR	**MS2195LBK/OR**	Large
MS2195XLOR	**MS2195XLBK/OR**	X-Large
MS2195XXLOR	**MS2195XXLBK/OR**	XX-Large

COLD WATER IMMERSION SUIT

Designed for use in commercial operations, our Immersion Suit is the ideal ship abandonment solution for workboats, transport vessels, drilling rigs, supply ships, steamships and commercial fishermen.

- Easy to don in stormy conditions
- Five-fingered insulated gloves for warmth and dexterity
- Inflatable head pillow supports the neck and provides optimal flotation angle
- Lifting harness
- Buddy line
- Water-tight face seal
- Face shield protects against spray
- Wrist and ankle adjustments provide improved and more secure fit
- 5mm fire retardant neoprene provides flotation and hypothermia protection
- Triple-sealed seam construction
- SOLAS grade reflective tape for night time or foul-weather detection
- SOLAS grade hailing whistle
- Light pocket made to accomodate a varity of SOLAS approved lights
- Non-slip, durable soles on foot bottom
- Includes instruction and inspection manual
- Includes zipper lubricant

Colour: Red

MIS220	Small
MIS230	Universal
MIS240	Oversize

LYF'SAFE JACKLINES

Either sailing solo or fully crewed, operating on the foredeck in most conditions requires extra attention and safety precautions. Lyf'Safe by Wichard is a complete jackline kit allowing safer operations and offering added value to the crew.

Lyf'Safe includes: 2 webbings (material: polyester) with 1 end with a loop and 1 free end, 2 forged adjusters & 2 casings.

WIC7051	27' pair
WIC7052	36' pair
WIC7053	46' pair

SAFETY HARNESS TETHERS

Wichard safety harness tethers are now available with the new patented double action hook. The elastic version retracts from two to one meters when not in use, providing a greater freedom of movement without the tether dragging on the deck behind you.

WIC7005	Elastic harness tether with two double action safety hooks
WIC7001	Elastic harness tether with two stainless steel carbine hooks
WIC7015	Harness tether, 2 meters long with two double action safety hooks
WIC7011	Harness tether, 2 meters long with two stainless steel carbine hooks
WIC7006	Elastic tether, 1 m fixed line the other retracts from 2 to 1 meter, with three double action safety hooks
WIC7007	Elastic tether, double action safety hook and quick opening snap shackle. Meets ORC standards
WIC7008	1 meter fixed line, double action safety hooks and quick opening snap shackle. Meets ORC standards

PAWS ABOARD DOGGY VESTS

Constructed to provide buoyancy, along with a cozy secure fit, the Paws Aboard doggy life jackets feature an advanced breathable mesh underbelly for proper draining and drying which provides your dog more comfort and healthier conditions than traditional pet life jackets made with neoprene which can cause heat exhaustion and chafing. Safety features include the new reflective strips for maximum visibility, the new bright neon-yellow color and the handle on top for quick and easy retrieval. Other features include adjustable nylon straps, quick-release buckles along with a heavy-duty yet more comfortable Velcro® fastening system around the belly and neck to keep securely fastened.

DOGGY VEST SIZING CHART

PART NUMBER	SIZE	WEIGHT	LENGTH		NECK GIRTH		BODY GIRTH	
		LBS/Kg	IN	CM	IN	CM	IN	CM
1100	XXS	0-6/ 0-3	6.5	17	7-9	18-23	11-16	28-41
1200	XS	7-15 / 3-7	8.5	22	8-12	20-31	15-19	38-48
1300	S	15-20/ 7-9	11	28	12-20	31-51	17-22	43-56
1400	M	20-50/ 9-23	14	36	20-25	50-62	21-30	53-76
1500	L	50-90/ 23-40	16	41	24-30	60-76	30-37	76-94
1600	XL	Over 90/ 40	20	51	29-34	72-87	36-44	92-112

YELLOW VEST

The original Paws Aboard doggy life jacket. Yellow.

PAW1100 XXS
PAW1200 XS
PAW1300 S
PAW1400 M
PAW1500 L
PAW1600 XL

BLUE POLKADOT VEST

Designer doggy life jacket with blue and white polka dots.

PAWBP1100 XXS
PAWBP1200 XS
PAWBP1300 S
PAWBP1400 M
PAWBP1500 L

PINK POLKADOT VEST

Designer doggy life jacket with pink and white polka dots.

PAWPP1100 XXS
PAWPP1200 XS
PAWPP1300 S
PAWPP1400 M
PAWPP1500 L

NAUTIDOG VEST

Nautical design.

PAWN1100 XXS
PAWN1200 XS
PAWN1300 S
PAWN1400 M
PAWN1500 L

RED NEOPRENE VEST

Neoprene Paws Aboard doggy life jacket with Life Guard cross & print. Red.

PAWR1100 XXS
PAWR1200 XS
PAWR1300 S
PAWR1400 M
PAWR1500 L
PAWR1600 XL

DOGSAVERS DOG TOYS

DOGSAVERS are made from super-durable synthetic rubber for heavy-duty chomping and interactive play.

PAW33020F Bone, Small (4.5")
PAW33022F Bone, Large (7.25")

PAW33028F Flyer, Small (6")
PAW33030F Flyer, Large (9")

PAW33038F Retriever, Small (7")
PAW33040F Retriever, Large (11")

PAW33044F Stick, Small (8")
PAW33046F Stick, Large (12")

DOG TOYS

Designed so that your dog can close its mouth as it swims to avoid choking.

PAW2200 Monkey Fist Dog Toy
PAW2400 Life Ring Dog Toy
PAW2300 Training Dummy Dog Toy

WATER SKI ROPE LEASH

4.5 feet of rope and a heavy-duty steel clip.

PAW3000





30 AMP CORDSETS

- Furrion's Powersmart LED voltage indicators
- Plug end has side grips for easy, user friendly connection
- Universal fit with all other brands

50 AMP CORDSETS

- Furrion's Powersmart LED indicators on each live leg (125/250v cordsets)
- Furrion's Faultsmart reverse polarity indicator (125v cordsets)
- Heavy duty weatherproof storage bag and cable strap included

PIGTAILS, Y-ADAPTERS and ONE-PIECE POWER ADAPTERS

- Furrion's Powersmart LED voltage indicators
- Heavy duty weatherproof storage bag and cable strap included with every 50 amp adapter
- Universal fit with all other brands

POWERSMART INLETS

- Furrion's Powersmart LED voltage indicator
- Furrion's Sleek, modern design
- Made with high quality marine-grade materials
- Universal fit with all other brands

SS

The New hand polished, mirror finished stainless steel inlet series from Furrion featuring a quick-lock sealing cap

A 859
B 860
C 863
D 867
E 868
F 870
G 872
H 873
I 875
J 876
K 876
L 876
M 878
N 879
O 880
P 881
Q 884
R 884
S 886
T 890
U 893
V 893
W 894
X 895
Y 895
Z 895

YOUR WATERSPORTS SOURCE!
Kwik Tek
mix master
80
SPORTSSTUFF
FREQUENT
FLYER
SPORTSSTUFF
AIRHEAD
AIRHEAD
TREMOR
AIRHEAD
AIRHEAD
rebel